







## PREMESSA

Professional Body Supply SRL produce e commercializza gioielli e monili per il corpo idonei all'utilizzo per il Body Piercing.

## NORMATIVE

Tutta la collezione presente nel Catalogo Prodotti risponde a pieno alla normativa europea sul limite massimo di cessione del Nickel (dir. 76/769/CEE e 04/96/CE).

Questi prodotti sono privi di marchio CE perché non ricadono in nessuna delle categorie per le quali è previsto l'obbligo di marcatura. L'ambito di applicazione è la sola Direttiva 2001/95 relativa alla sicurezza generale dei prodotti.

Questi Gioielli, anche se vengono utilizzati per l'inserimento "negli orecchi perforati o in altre parti perforate del corpo umano" e/o venduti sterili, non acquisiscono la qualità di Dispositivo Medico, perché privi della finalità medica (Dir. 93/42/CEE).

## IMMISSIONE SUL MERCATO

Professional Body Supply SRL non vende Gioielleria all'utente finale (consumatore) ma solo ed esclusivamente al professionista (Piercer) che applicherà il Gioiello nel proprio laboratorio seguendo gli standard igienici vigenti.

La nostra Gioielleria, e il relativo confezionamento/etichettatura, è venduta al professionista che agisce nell'esercizio della propria attività imprenditoriale, commerciale, artigianale o professionale e non al consumatore finale. E' quindi priva delle informazioni ex art. 6 D.lgs 206/2005 perché tali indicazioni devono figurare "nel momento in cui è posta in vendita al consumatore" (ex. Art 7 D.lgs 206/2005).

Nel caso in cui il professionista abbia intenzione di porre in vendita al consumatore tali Gioielli, dovrà egli stesso provvedere (a sua cura e a sue spese) al confezionamento/etichettatura come di legge.

La nostra Gioielleria non può essere messa in vendita *tal quale* da parte del nostro Cliente professionista al consumatore finale.

## INDICAZIONI RELATIVE ALLA NOSTRA GIOIELLERIA

Denominazione merceologica: Gioielleria idonea al Body Piercing

Produttore: Professional Body Supply SRL, Viale G. Bovio 286, 65123 Pescara (PE)

Origine: Thailandia

Materiali: sono indicati, in relazione alla categoria, nel Catalogo Prodotti

Istruzioni: Sterilizzare il prodotto prima dell'utilizzo. Maneggiare con procedura asettica. Uso professionale.



# INDICE

---

<b>STERILE</b> .....	pag. <b>6 - 7</b>	<b>STEEL - ATTACHMENTS</b> .....	pag. <b>85 - 87</b>
<b>TITANIUM PP - BASIC</b> .....	pag. <b>8 - 10</b>	<b>STEEL - EYEBROW</b> .....	pag. <b>88 - 89</b>
<b>TITANIUM INTERNAL &amp; DERMAL</b> .....	pag. <b>11 - 20</b>	<b>STEEL - INTERNAL</b> .....	pag. <b>90 - 93</b>
<b>TITANIUM COLOR - GOLD</b> .....	pag. <b>21</b>	<b>STEEL - LOBE</b> .....	pag. <b>94 - 97</b>
<b>TITANIUM COLOR - RAINBOW</b> .....	pag. <b>22 - 23</b>	<b>STEEL - EXPANDERS</b> .....	pag. <b>98</b>
<b>TITANIUM COLOR - GREEN</b> .....	pag. <b>24 - 25</b>	<b>STEEL - NIPPLE</b> .....	pag. <b>99 - 101</b>
<b>TITANIUM COLOR - PURPLE</b> .....	pag. <b>26 - 27</b>	<b>MATTE BLACK</b> .....	pag. <b>102</b>
<b>TITANIUM COLOR - DARK BLUE</b> .....	pag. <b>28 - 29</b>	<b>ACRYLIC</b> .....	pag. <b>103 - 105</b>
<b>TITANIUM COLOR - TEAL</b> .....	pag. <b>30 - 31</b>	<b>BIOPLASTIC</b> .....	pag. <b>106 - 107</b>
<b>TITANIUM COLOR - BLACK</b> .....	pag. <b>32</b>	<b>SILICONE</b> .....	pag. <b>108</b>
<b>STEEL RINGS</b> .....	pag. <b>33 - 62</b>	<b>PEARLS</b> .....	pag. <b>109</b>
<b>STEEL - BANANAS</b> .....	pag. <b>63 - 76</b>	<b>DISPLAY</b> .....	pag. <b>110 - 112</b>
<b>STEEL - LABRETS</b> .....	pag. <b>77</b>	<b>TOOLS</b> .....	pag. <b>113 - 120</b>
<b>STEEL - NOSE</b> .....	pag. <b>78 - 81</b>	<b>STERILIZATION</b> .....	pag. <b>121</b>
<b>STEEL - BARBELLS</b> .....	pag. <b>82 - 84</b>	<b>AFTERCARE</b> .....	pag. <b>122</b>



## XMDISC

STERILE MEDICAL SILICONE PIERCING DISCS 2pcs	
size	
M (5mm), L (7mm)	



## XT BANDJ

TT STERILE DOUBLE JEWEL NAVEL BANANABELL		
thickness	length	ball
1.6	10, 12	5&8
stones: CR		



## XT BANJ

TT STERILE JEWEL NAVEL BANANABELL		
thickness	length	ball
1.6	10, 12	5&8
stones: AQ, CR, LR		



## XT BBC

TT STERILE CURVED EYEBROW BARBELLS		
thickness	length	ball
1.2	8, 10, 12	3



## XT BBL

TT STERILE BARBELLS		
thickness	length	ball
1.2	6, 8, 10	3
1.6	12, 14, 16	4
1.6	12, 14, 16, 18, 20, 22	5
1.6	18, 20, 22	6



## XT BCR

TT STERILE BALL CLOSURE RINGS		
thickness	diameter	ball
1.2	8	3
1.2	10	4
1.6	8, 10	4



## XT CBB

TT STERILE CIRCULAR BARBELLS		
thickness	diameter	ball
1.2	8, 10	3
1.6	8, 10, 12	3



## XT LABJ

TT STERILE JEWEL LABRETS		
thickness	length	ball
1.2	6, 8, 10, 12	3
stones: CR		



## XT LBANI

TT STERILE INTERNAL L SHAPE BANANA		
thickness	length	ball
1.6	10, 12, 14, 16	4



## XT NSNJ

TT STERILE NOSE	
thickness	length
0.8	6.5
stones: AQ, CR, LR	



## XT SDJ

TT STERILE JEWEL SKIN DIVER		
thickness	height	disc
1.0	1.2, 1.8, 2.5	3
stones: AQ, CR, LR		



## XT LAB

TT STERILE LABRET		
thickness	length	ball
1.2	8, 9, 10, 12	3
1.6	8, 10, 12	3



### XTDFDJ

TT STERILE JEWEL DERMAL ANCHOR		
thickness	height	disc
1.2	1.5	3
1.2	1.5, 2	4
stones: CR		



CR



### XTDA

TT STERILE DERMAL ANCHOR w/HEAD		
thickness	height	disc
1.6	1.5, 2, 2.5	3, 4, 5



### XTDAB

TT STERILE JEWEL DERMAL ANCHOR SYMETRIC LEGS		
thickness	height	disc
1.6	1.5, 2	4
stones: CR		



CR



### XTDAJ

TT STERILE JEWEL DERMAL ANCHOR w/HEAD		
thickness	height	disc
1.6	1.5, 2, 2.5	3, 4, 5
stones: AQ, CR, LR		



AQ CR LR



### XTDAOJ

TT STERILE JEWEL OPEN STYLE DERMAL ANCHOR		
thickness	height	disc
1.6	1.5, 2, 2.5	4
stones: CR		



CR

# TITANIUM PP - BASIC



**TBAN**

TT NAVEL BARBELLS		
thickness	length	ball
1.6	8, 10, 12	4&4, 5&5



**TBANDJ**

TT 8mm DOUBLE JEWEL NAVEL BARBELLS		
thickness	length	ball
1.6	8, 10, 12	5&8

stones: AB, AQ, CR, LR, SA, PE, BZ, FU



**TBANJ**

TT 8mm JEWEL NAVEL BARBELLS		
thickness	length	ball
1.6	8, 10, 12	5&8

stones: AB, AQ, CR, LR, SA, PE, BZ, FU



**TBBC**

TT CURVED EYEBROW BARBELLS		
thickness	length	ball
1.2	8, 9, 10, 11, 12	3



**TBBL**

TT BARBELLS		
thickness	length	ball
1.2	6, 7, 8, 9, 10, 12, 14	3
1.6	6, 8, 10, 12, 14, 16	4
1.6	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22	5
1.6	20, 22, 24	6



**TBCR**

TT BALL CLOSURE RINGS	
thickness	diameter
1.0	6, 8
1.2	6, 8, 10
1.6	8, 10, 12, 14, 16, 18



**TCBB**

TT CIRCULAR BARBELLS		
thickness	diameter	ball
1.2	8, 10	3
1.6	8, 10, 12	4



**TCNE**

TT SCREW-ON CONES	
thickness	base
1.2	3
1.6	4



**THSR**

TT HINGED SEGMENT RING	
thickness	diameter
1.2	6, 7, 8, 9, 10, 12
1.6	6, 7, 8, 9, 10, 12



**TLAB**

TT LABRETS		
thickness	length	ball
1.2	6, 7, 8, 9, 10, 11, 12	3
1.6	6, 7, 8, 9, 10, 11, 12	4



**TLABJ**

TT JEWELLED LABRETS		
thickness	length	ball
1.2	6, 8	2.5

stones: AB, AQ, CR, LR



**TNBAN**

TT NAVEL BANANABELLS		
thickness	length	ball
1.6	8, 10, 12	4&6
1.6	8, 10, 12	5&8



**TNBJ**

TT JEWEL NOSE BONES	
thickness	
0.8	
stones: AB, AQ, CR, LR, SA, PE, BZ, FU	



**TNSB**

TT NOSE STUDS, BENT	
thickness	ball
0.8	2.0
1.0	2.0



BI

**TNSC**

TT NOSE STUDS	
thickness	model
0.8	BI, DI, FL01, FL02, HE, MO, ST



DI  
Disc 2.0mm

FL01

FL02

HE



MO

ST



**TNSNJ**

TT JEWEL NOSE STUDS NEW, BENT	
thickness	
0.8	
stones: AB, AQ, CR, LR, SA, PE, BZ	



**TONR**

TT OPEN NOSE RINGS	
thickness	diameter
1.0	7, 8, 9


**TSBEJ**

TT JEWEL SCREW-ON BALLS	
thickness	ball
1.2	3
1.6	4, 5
stones: AB, AQ, CR, LR, SA, PE, BZ, FU	



**TSBE**

TT SCREW-ON BALL	
thickness	ball
1.2	2, 3
1.6	3, 4, 5, 6



**TSUR**

TT SURFACE BARBELLS		
thickness	length	angle
1.2	8, 10, 12, 16	45°, 90°
1.6	12, 15, 19, 22	45°, 90°



**TUK**

TT U SHAPED SEPTUM KEEPERS	
thickness	
1.6	

# TITANIUM PP - BASIC



**TCKSR**

TT HINGED SEGMENT RING	
thickness	diameter
0.8	5, 6, 7
1.0	6, 7, 8, 9, 10, 12



**THCR**

TT HINGED DOUBLE CONCH RING	
thickness	diameter
1.2	10, 12



**TNTZ**

TT NOSESTUD ZIRCONIA SETTING	
thickness	
0.8	
stone: CR	



CR



**TSR01**

TT SEPTUM RETAINER MOD. 1	
thickness	
1.2, 1.6	



**TSR02**

TT SEPTUM RETAINER MOD. 2	
thickness	
1.2, 1.6	



# TITANIUM INTERNAL & DERMAL



**BKFD**

BK TT int FLAT DISC	
thickness	disc
1.6	3, 4, 5



**BKFDG**

BK TT int FLAT DISC GLOSS FINISH	
thickness	disc
1.6	3, 4, 5
stones: AB, AQ, CR, LR, SA, PE, BZ, FU	



**BKFDJ**

BK TT int JEWELLED FLAT DISC	
thickness	disc
1.6	3, 4, 5
stones: AB, AQ, CR, LR, SA, PE, BZ	



**BKFMDJ**

BK TT int JEWELLED FLAT DISC	
thickness	disc
1.2	3, 4
stones: AB, AQ, CR, LR, SA, PE, BZ, FU	



**BKIJBL**

BK TT int JEWELLED BALLS	
thickness	ball
1.2	2.5, 3
stones: BL, MGR, PI, RE, WH	



**BKSB**

BK TT int BALLS	
thickness	ball
1.2	2, 2.5, 3, 4
1.6	2.5, 3, 4, 5, 6



**BKSD**

BK TT SKIN DIVERS	
thickness	height
1.0	2.5



**BKSDJ**

BK TT JEWELLED SKIN DIVER	
thickness	height
1.0	1.2, 1.8, 2.5
stones: AB, AQ, CR, LR, SA, PE, BZ, FU	



**BKCON**

BK TT int CONE	
thickness	size
1.2	3x3
1.6	3x3



**BKLAB**

BK TT int LABRETS	
thickness	length
1.2	6, 7, 8, 9, 10
1.6	8, 10, 12



**BKMJBL**

BK TT int MINI JEWELLED BALLS	
thickness	disc
1.2	2.35, 3
stone: WH	



**GBLD**

GD TT int BALLS	
thickness	ball
1.2	2, 2.5, 3, 4
1.6	2.5, 3, 4, 5, 6

# TITANIUM INTERNAL & DERMAL



## GFD

GD TT int FLAT DISC	
thickness	disc
1.6	3, 4, 5



## GFDG

GD TT int FLAT DISC GLOSS FINISH	
thickness	disc
1.6	3
stones: AB, AQ, CR, LR, SA, PE, BZ, FU	



## GFDJ

GD TT int JEWELLED FLAT DISC	
thickness	disc
1.6	3, 4, 5
stones: AB, AQ, CR, LR, SA, PE, BZ, FU	



## GFMDIJ

GD TT int HEAD WITH INVERTED STONE	
thickness	disc
1.2	2, 3
stones: BK, WH	



## GIARD

GD TT int MICRO ATTACHMENT SET	
thickness	disc
1.2	2, 2.5, 3
stones: WH	



## GFDIJ

GD TT int HEAD WITH INVERTED STONE	
thickness	disc
1.6	3
stones: BK, WH	



## GIJBLL

GD TT int JEWELLED BALLS	
thickness	ball
1.2	2.5, 3
stones: BL, MGR, PI, RE, WH	
1.6	4, 5
stones: AB, WH	



## GSDJ

GD TT JEWELLED SKIN DIVER	
thickness	height
1.0	1.2, 1.8, 2.5
stones: AB, CR	



## GFMDJ

GD TT int JEWELLED FLAT DISC	
thickness	disc
1.2	3, 4
stones: AB, AQ, BZ, CR, LR, PE, SA	



## GCONI

GD TT int CONE	
thickness	size
1.2	3x3
1.6	3x3



## GDIJGD1604-WH

GD TT int JEWELLED DISC	
thickness	disc
1.6	4
stone: WH	



## GLABi

GD TT int LABRETS	
thickness	length
1.2	6, 7, 8, 9, 10
1.6	8, 10, 12





01L 01R

**GIAN**

**NEW SIZES**

GD TT int HEAD		
model	thickness	size
01L	1.2	6
01R	1.2	6
02L	1.2	6
02R	1.2	6
03	1.2	3
04	1.2	3
05	1.2	4
06	1.2	5
07	1.2	5.5
08	1.2	3
09	1.2	7



02L 02R 03 04 05 06 07 08 09



**GDMJBLL**

**NEW**

GD TT int MINI JEWELLED BALLS	
thickness	disc
1.2	2.35, 3
stone: WH	

WH



**GDUPIN1204**

**NEW**

GD TT int MICRO U SHAPE U PINS	
thickness	diameter
1.2	4



BLSA

**GIANLGRD**

**NEW**

GD TT int SET W/LAB CREATED GEMSTONE	
thickness	disc
1.2	2.5
stones: BLSA, PAR	

PAR



PAR

**GIANLGTR**

**NEW**

GD TT int TRINITY SET W/LAB CREATED GEMSTONE	
thickness	size
1.2	2.5
stones: BLSA, PAR	

BLSA



Mod. PAR

**GDFMFLG**

**NEW**

GD TT int FLOWER SET W/LAB CREATED GEMSTONE	
thickness	size
1.2	4
stones: BLSA, PAR	



Mod. BLSA



WH

**GIEBSGN**

**NEW**

GD TT int EYEBROW BANANA		
thickness	length	stone
1.2	6, 8	2.5
stone: WH		



AB WH

**GIATR**

**NEW**

GD TT int TRINITY ATTACHMENT	
thickness	size
1.2	2.5, 3.5
stones: AB, WH	

# TITANIUM INTERNAL & DERMAL



**RFD**

RG TT int FLAT DISC	
thickness	disc
1.6	3, 4, 5



**RFDJ**

RG TT int JEWELLED FLAT DISC	
thickness	disc
1.6	3, 4, 5



**RFMDJ**

RG TT int JEWELLED FLAT DISC	
thickness	disc
1.2	3, 4



**RGMJBLL**

RG TT int MINI JEWELLED BALLS	
thickness	disc
1.2	2.35, 3



WH



**TBANi**

TT int BANANA		
thickness	length	ball
1.2	6, 8, 9	2.5, 3
1.2	10, 12	2.5, 3, 4
1.6	8, 10, 12	4, 5



**TCBBI**

TT int CIRCULAR BARBELL		
thickness	diameter	ball
1.2	8	2.5, 3
1.2	10	3, 4
1.6	8, 10, 12	3, 4
1.6	12	5



**TCONi**

TT int SCREW-IN CONES	
thickness	base
1.2	3x3
1.6	3x3



**TCYi**

TT int CYLINDER
thickness
1.6



**TDA**

TT int 1,6mm DERMAL ANCHOR	
thickness	height
1.6	2.0



**TDAB**

TT int 1,6mm DERMAL ANCHOR SYMETRIC LEGS	
thickness	height
1.6	1.5, 2.0, 2.5



**TDAL**

TT int 1,6mm DERMAL ANCHOR LONG HOLE	
thickness	height
1.6	1.5, 2.0, 2.5



**TDAO**

TT int 1,6mm OPEN STYLE DERMAL ANCHOR	
thickness	height
1.6	1.5, 2, 2.5



**TDAP**

TT int DERMAL ANCHOR NO HOLES	
thickness	height
1.6	3.0



**TDAT**

TT int DERMAL ANCHOR 3 HOLES	
thickness	height
1.6	1.5, 2, 2.5




**TFD**

TT int FLAT DISC	
thickness	disc
1.6	3, 4, 5

**TFDCB**



TT int EXPORY COVERED CRYSTAL BALLS	
thickness	ball
1.2	3, 4
1.6	4, 5, 6
stones: AB, AQ, BZ, FU, LP, LR, SA	



PI

**TFDF**

TT int JEWELLED FLOWER DISC	
thickness	disc
1.6	5
stones: PI, WH	



WH



**TFDG**

TT int FLAT DISC GLOSS FINISH	
thickness	disc
1.6	3, 4, 5
stones: AB, AQ, CR, LR, SA, PE, BZ, FU	




**TFDIJ**

TT int HEAD WITH INVERTED STONE	
thickness	disc
1.6	3, 4
stones: AQ, BK, PI, WH	



**TFDJ**

TT int JEWELLED FLAT DISC	
thickness	disc
1.6	3, 4, 5
stones: AB, AQ, CR, LR, SA, PE, BZ, FU	



**TFDOP**

TT int OPAL FLAT DISC	
thickness	disc
1.6	3, 4, 5
opal: BK, LGR, PI, RE, SA, WH	



**TFMDG**

TT int FLAT DISC GLOSS FINISH	
thickness	disc
1.2	3, 4
stones: AB, CR	



**TFMDJ**

TT int MINI JEWELLED FLAT DISC	
thickness	disc
1.2	3, 4
stones: AB, AQ, BZ, CR, FU, LR, PE, RE, SA	



**TFMDIJ**

TT int HEAD WITH INVERTED STONE	
thickness	disc
1.2	2
stones: BK, WH	
1.2	3
stones: BK, WH, AQ, PI	



# TITANIUM INTERNAL & DERMAL

## TFSB



TT int FLAT SURFACE BAR			
thickness	length	height	disc
1.2	8, 10, 12	1.5, 2	2.5, 3, 4
1.6	10, 12, 14	1.5, 2, 2.5	3
1.6	16, 18, 20	1.5, 2, 2.5	4

## TFMDOP



TT int MINI OPAL FLAT DISC	
thickness	disc
1.2	3, 4

opal: BK, LGR, PI, RE, SA, WH



## TFOPB



TT int SYNTHETIC OPAL BALLS	
thickness	ball
1.2	3, 4
1.6	4, 5, 6

opal: BK, LGR, LT, PI, RE, SA, WH



## TFMFLW



Mod.  
PI/RE

TT int MINI JEWELLED FLOWER DISC	
thickness	disc
1.2	4, 5

stones: BL/PI, BL/WH, PI/RE, PI/WH, RE/WH, WH



Mod.  
BL/PI



Mod.  
BL/WH



Mod.  
PI/WH



Mod.  
RE/WH



Mod.  
WH



Mod.  
PAR

## TFMFLG

TT int FLOWER SET W/LAB CREATED GEMSTONE

thickness	disc
1.2	4

stones: BLSA, PAR



Mod.  
BLSA

## TIJGD



TT int JEWELLED DISC	
thickness	disc
1.2	2.5, 3, 4

stone: AB, CR



## TIATR



TT int TRINITY ATTACHMENT	
thickness	size
1.2	2.5, 3.5
1.6	4.5

stones: AB, BL, MGR, PI, RE, WH



PAR

## TIANLGTR

GD TT int TRINITY SET W/LAB CREATED GEMSTONE

thickness	size
1.2	2.5

stones: BLSA, PAR



BLSA



**TIACLS**

**NEW SIZES**

TT int CLUSTER HEAD		
model	thickness	size
06	1.2	3
07	1.2	4 + 2.5
08	1.2	4 + 3x2.5
09	1.2	4 + 3x2
10	1.2	4 + 2x3 + 2x2.5
11	1.2	2.5
12	1.2	2.5
13	1.2	2.5
14	1.2	3
15	1.2	3 x 2.5
16	1.2	4 x 2.5
17	1.2	3 x 2.5
18	1.2	4 x 2.5
19	1.2	1x4 + 1x2.5 + 4x2
23	1.2	2 x 2.5
24	1.2	2 x 2.5
25	1.2	4
26	1.2	2.5
41	1.2	2.5
42S	1.2	3 x 2
43	1.2	3 + 4x1.5
45R	1.2	2.5 + 2.0 + 1.5
45L	1.2	2.5 + 2.0 + 1.5

stones: WH



**TFSBAR**



TT int FLAT SURFACE BAR		
thickness	length	height
1.2	8, 10, 12	1.5, 2
1.6	10, 12, 14, 16, 18, 20	1.5, 2, 2.5
1.6	22, 25	2, 2.5

**TFSTD**



TT int TURQUOISE STONE w/DISC	
thickness	disc
1.6	3, 4

**TIARD**



TT int MICRO ATTACHMENT SET	
thickness	disc
1.2	2, 2.5, 3

stones: WH

stones: WH

**TIANLGRD**



BLSA

GD TT int SET W/LAB CREATED GEMSTONE	
thickness	disc
1.2	2.5

stones: BLSA, PAR

stones: BLSA, PAR

**NEW**

# TITANIUM INTERNAL & DERMAL



01L 01R

## TIAN

TT int HEAD		
model	thickness	size
01L	1.2	6
01R	1.2	6
02L	1.2	6
02R	1.2	6
03	1.2	3
04	1.2	3
05	1.2	4
06	1.2	5
07	1.2	5.5
08	1.2	3
09	1.2	7



02L 02R



03



04 05



06



07



08



09

## TISBL

TT int BARBELLS		
thickness	length	ball
1.2	6, 8, 10, 12	2.5, 3
1.6	8, 10, 12, 14, 16, 18, 20, 22, 24	4, 5, 6
1.6	32, 34, 38, 40	5, 6



## TIBESJ

TT int JEWELLED BANANA 4&6mm	
thickness	length
1.6	8, 10, 12

stones: BL, CR, MGR, PI, RE



## TIBLBB

TT int L SHAPE BANANA		
thickness	length	ball
1.6	10, 12	4
1.6	12, 14, 16	5



## TINTB

TT int MINI BALLS	
thickness	ball
1.2	2.0, 2.5, 3



## TLABi

TT int LABRETS	
thickness	length
1.2	5, 6, 7, 8, 9, 10, 11, 12
1.6	6, 8, 10, 12



## TIDBESJ

TT int DOUBLE JEWELLED BANANA 4&6mm	
thickness	length
1.6	8, 10, 12

stones: CR, PI



## TIND

TT int MINI DISC	
thickness	disc
1.2	2, 2.5, 3, 4



## TIPRLi

TT int PEARL	
thickness	ball
1.2	3, 4
1.6	4, 5, 6

**TLABL**



TT int LABRET		
thickness	length	ball
1.2	4, 5, 6, 7, 8, 9, 10	2
1.2	6, 7, 8, 9, 10, 12	2.5
1.2	8, 10, 12	3
1.6	6, 7, 8, 9, 10	2.5
1.6	6, 8, 10, 12	3
1.6	8, 10, 12	4

**TLABLD**




TT int LABRET		
thickness	length	disc
1.2	4, 5, 6, 7, 8, 9, 10	2.5

**TPD**



194B

TT int PICTURE DISC	
thickness	disc
1.6	4
model: 58, 109, 150, 191, 194B	



**TSD**



TT SKIN DIVER	
thickness	height
1.0	1.2, 1.8, 2.5



**TMDA**

TT int 1,2mm MINI DERMAL ANCHOR	
thickness	height
1.2	1.5, 2




**TMDFDJ**

TT int 1,2mm MINI DERMAL ANCHOR W/JEWEL DISC		
thickness	disc	height
1.2	3	1.5
stones: AB, AQ, BZ, CR, LR, PE, SA		



**TIJBLL**

TT int JEWELLED BALLS	
thickness	ball
1.2	2.5, 3
1.6	4, 5
stones: AB, BL, CR, MGR, PI, RE	
1.2	4
stones: AB, CR, PI	
1.6	3
stones: AB, CR	



**TSBi**

TT int BALLS	
thickness	ball
1.6	2.5, 3, 4, 5, 6



**TSDJ**

TT JEWELLED SKIN DIVER	
thickness	height
1.0	1.2, 1.8, 2.5
stones: AB, AQ, CR, LR, SA, PE, BZ, FU	

**TMDFD**



TT int 1,2mm MINI DERMAL ANCHOR W/DISC		
thickness	disc	height
1.2	3	1.5



**TUPIN**

TT int MICRO U SHAPE U PINS	
thickness	diameter
1.2	4

# TITANIUM INTERNAL & DERMAL



## TWD

TT int 1,2mm WHEEL SKIN DIVERS W/DISC		
thickness	disc	height
1.2	3	1.5



## TIDBEJ

TT int DOUBLE JEWELLED BANANA 5&8mm	
thickness	length
1.6	8, 10, 12
stones: CR, PI, RE	



## TWDI

TT int 1,2mm WHEEL SKIN DIVERS	
thickness	height
1.2	1.5, 2



## TWDJ

TT int 1,2mm WHEEL SKIN DIVERS W/JEW DISC		
thickness	disc	height
1.2	3	1.5
stones: AB, AQ, BZ, CR, LR, PE, SA		



## TIBEJ

TT int JEWELLED BANANA 5&8mm	
thickness	length
1.6	8, 10, 12
stones: BL, CR, MGR, PI, RE	



## TMJBLL

TT int MINI JEWELLED BALLS	
thickness	disc
1.2	2.35, 3
stone: WH	



## TIJGD1604-WH

TT int JEWELLED DISC	
thickness	disc
1.6	4
stone: WH	



## TIEBSGN

TT int EYEBROW BANANA		
thickness	length	stone
1.2	6, 8	2.5
stone: WH		



## TIRSN

TT int ONE SIDE MICRO BARBELLS		
thickness	length	ball
1.2	5, 6, 8, 10, 12	2.5



## GBANJ

GD TT JEWEL NAVEL BANANABELL		
thickness	length	ball
1.6	8, 10	5&8



AQ CR



## GBANDJ

GD TT DOUBLE JEWEL NAVEL BANANABELL		
thickness	length	ball
1.6	8, 10	5&8



AQ CR



## GNBAN

GD TT BANANABELLS		
thickness	length	ball
1.6	8, 10	4&4
1.6	8, 10, 12	5&5



## GBBC

GD TT EYEBROW BARBELLS		
thickness	length	ball
1.2	6, 8, 10	3



## GBBL

GD TT BARBELLS		
thickness	length	ball
1.2	6, 8, 10	3
1.6	8, 10, 12	4
1.6	14, 16, 18	5



## GCBB

GD TT CIRCULAR BARBELLS		
thickness	diameter	ball
1.2	6, 8, 10	3
1.6	8, 10, 12	4



## GLAB

GD TT LABRETS		
thickness	length	ball
1.2	6, 8, 10	3
1.6	6, 8, 10	4



## GBCR

GD TT BALL CLOSURE RINGS	
thickness	diameter
1.2	7, 9, 10, 11
1.6	6, 8, 10, 12

# TITANIUM COLOR - RAINBOW (PVD)



## TRBAN

TT-RB BANANABELLS		
thickness	length	ball
1.6	8, 10, 12	5&8



## TRBANJ

TT-RB JEWEL NAVEL BANANABELL		
thickness	length	ball
1.6	8, 10, 12	5&8



## TRBANDJ

TT-RB DOUBLE JEWEL NAVEL BANANABELL		
thickness	length	ball
1.6	8, 10, 12	5&8



## TRBASJ

TT-RB JEWEL NAVEL BANANABELL		
thickness	length	ball
1.6	8, 10, 12	4&6



## TRBASDJ

TT-RB DOUBLE JEWEL NAVEL BANANABELL		
thickness	length	ball
1.6	8, 10, 12	4&6



## TRBBC

TT-RB EYEBROW BARBELLS		
thickness	length	ball
1.2	6, 8, 10	3



## TRBBL

TT-RB BARBELLS		
thickness	length	ball
1.2	6, 8, 10	3
1.6	6, 8, 10, 12, 14	4
1.6	16, 19, 22	5
1.6	22	6



## TRLAB

TT-RB LABRETS		
thickness	length	ball
1.2	6, 8	3
1.6	8, 10, 12	4



## TRCBB

TT-RB CIRCULAR BARBELLS		
thickness	diameter	ball
1.2	6, 8, 10, 12	3
1.6	6, 8, 10, 12, 14	4




**TRBCR**

TT-RB BALL CLOSURE RINGS	
thickness	diameter
1.2	6, 8, 10, 12
1.6	8, 10, 12, 14



**TRBCD**

TT-RB D-RINGS	
thickness	diameter
1.6	10, 14




**TRSBE**

TT-RB SCREW-ON BALLS	
thickness	ball
1.2	2, 2.5, 3, 4
1.6	3, 4, 5, 6



**TRCON**

TT-RB CONTINUOUS RINGS	
thickness	diameter
0.8	6
1.0	8, 12



**TRCNE**

TT-RB SCREW-ON CONES		
thickness	base	length
1.2	2.5	3
1.2	3	3, 8, 10
1.2	4	4



**TRSBEJ**

TT-RB SCREW ON JEWELLED BALLS	
thickness	ball
1.2	2.5, 3
1.6	4, 5, 6

stones: AB, AQ, CR, LR, SA, PE, BZ, FU



# TITANIUM COLOR - GREEN (ANODIZED)



**TGBAN**

TT-GR BANANABELLS		
thickness	length	ball
1.6	8, 10, 12	5&8



**TGBANJ**

TT-GR JEWEL NAVEL BANANABELL		
thickness	length	ball
1.6	8, 10, 12	5&8
stones: AB, AQ, CR, LR, SA, PE, BZ, FU		



**TGBANDJ**

TT-GR DOUBLE JEWEL NAVEL BANANABELL		
thickness	length	ball
1.6	8, 10, 12	5&8
stones: AB, AQ, CR, LR, SA, PE, BZ, FU		



**TGBASJ**

TT-GR JEWEL NAVEL BANANABELL		
thickness	length	ball
1.6	8, 10, 12	4&6
stones: AB, AQ, CR, LR, SA, PE, BZ, FU		



**TGBASDJ**

TT-GR DOUBLE JEWEL NAVEL BANANABELL		
thickness	length	ball
1.6	8, 10, 12	4&6
stones: AB, AQ, CR, LR, SA, PE, BZ, FU		



**TGBBC**

TT-GR EYEBROW BARBELLS		
thickness	length	ball
1.2	6, 8, 10	3



**TGBBL**

TT-GR BARBELLS		
thickness	length	ball
1.2	6, 10, 12	3
1.6	6, 8, 10, 12, 14	4
1.6	14, 16, 19, 22	5
1.6	22	6



**TGLAB**

TT-GR LABRETS		
thickness	length	ball
1.2	6, 8, 10	3
1.6	8, 10, 12	4



**TGCBB**

TT-GR CIRCULAR BARBELLS		
thickness	diameter	ball
1.2	6, 10, 12	3
1.6	6, 8, 10, 12, 14	4



**TGBCR**

TT-GR BALL CLOSURE RINGS	
thickness	diameter
1.2	6, 8, 10, 12
1.6	8, 10, 12, 14




**TGSEG**

TT-GR SMOOTH SEGMENT RINGS	
thickness	diameter
1.6	8, 10




**TGCON**

TT-GR CONTINUOUS RINGS	
thickness	diameter
0.8	6
1.0	10, 12



**TGSBE**

TT-GR SCREW-ON BALLS	
thickness	ball
1.2	2, 2.5, 3, 4
1.6	3, 4, 5, 6



**TGCNE**

TT-GR SCREW-ON CONES		
thickness	base	length
1.2	2.5	3
1.2	3	3, 8, 10



**TGSBEJ**

TT-GR SCREW ON JEWELLED BALLS	
thickness	ball
1.2	2.5, 3
1.6	4, 5, 6

stones: AB, AQ, CR, LR, SA, PE, BZ, FU



# TITANIUM COLOR - PURPLE (ANODIZED)



**TPBAN**

TT-PU BANANABELLS		
thickness	length	ball
1.6	8, 10, 12	5&8



**TPBANJ**

TT-PU JEWEL NAVEL BANANABELL		
thickness	length	ball
1.6	8, 10, 12	5&8


stones: AB, AQ, CR, LR, SA, PE, BZ, FU



**TPBANDJ**

TT-PU DOUBLE JEWEL NAVEL BANANABELL		
thickness	length	ball
1.6	8, 10, 12	5&8

stones: AB, AQ, CR, LR, SA, PE, BZ, FU



**TPBASJ**

TT-PU JEWEL NAVEL BANANABELL		
thickness	length	ball
1.6	8, 10, 12	4&6

stones: AB, AQ, CR, LR, SA, PE, BZ, FU



**TPBASDJ**

TT-PU DOUBLE JEWEL NAVEL BANANABELL		
thickness	length	ball
1.6	8, 10, 12	4&6

stones: AB, AQ, CR, LR, SA, PE, BZ, FU



**TPBBC**

TT-PU EYEBROW BARBELLS		
thickness	length	ball
1.2	6, 8, 10	3



**TPBBL**

TT-PU BARBELLS		
thickness	length	ball
1.2	6	3
1.6	6, 8, 10, 12, 14	4
1.6	14, 16, 19, 22	5
1.6	22	6



**TPLAB**

TT-PU LABRETS		
thickness	length	ball
1.2	6, 8, 10	3
1.6	8, 10, 12	4



**TPCBB**

TT-PU CIRCULAR BARBELLS		
thickness	diameter	ball
1.2	6, 10, 12	3
1.6	6, 8, 10, 12, 14	4



**TPBCR**

TT-PU BALL CLOSURE RINGS	
thickness	diameter
1.2	6, 8, 10, 12
1.6	8, 10, 12, 14




**TPSEG**

TT-PU SMOOTH SEGMENT RINGS	
thickness	diameter
1.6	8




**TPCON**

TT-PU CONTINUOUS RINGS	
thickness	diameter
1.0	12



**TPSBE**

TT-PU SCREW-ON BALLS	
thickness	ball
1.2	2, 2.5, 3, 4
1.6	3, 4, 5, 6



**TPCNE**

TT-PU SCREW-ON CONES		
thickness	base	length
1.2	2.5	3
1.2	3	3, 8, 10
1.2	4	4



**TPSBEJ**

TT-PU SCREW ON JEWELLED BALLS	
thickness	ball
1.2	2.5, 3
1.6	4, 5, 6

stones: AB, AQ, CR, LR, SA, PE, BZ, FU



# TITANIUM COLOR - DARK BLUE (ANODIZED)



**TDBAN**

TT-DB BANANABELLS		
thickness	length	ball
1.6	8, 10, 12	5&8



**TDBANJ**

TT-DB JEWEL NAVEL BANANABELL		
thickness	length	ball
1.6	8, 10, 12	5&8
stones: AB, AQ, CR, LR, SA, PE, BZ, FU		



**TDBANDJ**

TT-DB DOUBLE JEWEL NAVEL BANANABELL		
thickness	length	ball
1.6	8, 10, 12	5&8
stones: AB, AQ, CR, LR, SA, PE, BZ, FU		



**TDBASJ**

TT-DB JEWEL NAVEL BANANABELL		
thickness	length	ball
1.6	8, 10, 12	4&6
stones: AB, AQ, CR, LR, SA, PE, BZ, FU		



**TDBASDJ**

TT-DB DOUBLE JEWEL NAVEL BANANABELL		
thickness	length	ball
1.6	8, 10, 12	4&6
stones: AB, AQ, CR, LR, SA, PE, BZ, FU		



**TDBBC**

TT-DB EYEBROW BARBELLS		
thickness	length	ball
1.2	6, 8, 10	3



**TDBBL**

TT-DB BARBELLS		
thickness	length	ball
1.2	6, 8	3
1.6	6, 8, 10, 12, 14	4
1.6	14, 16, 19, 22	5
1.6	22	6



**TDLAB**

TT-DB LABRETS		
thickness	length	ball
1.2	6, 8	3
1.6	8, 10, 12	4



**TDCBB**

TT-DB CIRCULAR BARBELLS		
thickness	diameter	ball
1.2	6, 12	3
1.6	6, 8, 10, 12, 14	4



**TDBCR**

TT-DB BALL CLOSURE RINGS	
thickness	diameter
1.2	6, 8, 10, 12
1.6	8, 10, 12, 14



**TDSEG**

TT-DB SMOOTH SEGMENT RINGS	
thickness	diameter
1.6	8, 10



**TDCON**

TT-DB CONTINUOUS RINGS	
thickness	diameter
0.8	6, 8
1.0	8, 10, 12



**TDTWE**

TT-DB TWISTERS	
thickness	diameter
1.2	8
1.6	11



**TDSBE**

TT-DB SCREW-ON BALLS	
thickness	ball
1.2	2, 2.5, 3, 4
1.6	3, 4, 5, 6



**TDSBEJ**

TT-DB SCREW ON JEWELLED BALLS	
thickness	ball
1.2	2.5, 3
1.6	4, 5, 6

stones: AB, AQ, CR, LR, SA, PE, BZ, FU



**TDCNE**

TT-DB SCREW-ON CONES		
thickness	base	length
1.2	2.5	3
1.2	3	3, 8, 10
1.2	4	4



**TDBCD**

TT-DB D-RINGS	
thickness	diameter
1.6	14

# TITANIUM COLOR - TEAL (ANODIZED)



**TTBAN**

TT-TE BANANABELLS		
thickness	length	ball
1.6	8, 10, 12	5&8



**TTBANJ**

TT-TE JEWEL NAVEL BANANABELL		
thickness	length	ball
1.6	8, 10, 12	5&8
stones: AB, AQ, CR, LR, SA, PE, BZ, FU		



**TT BANDJ**

TT-TE DOUBLE JEWEL NAVEL BANANABELL		
thickness	length	ball
1.6	8, 10, 12	5&8
stones: AB, AQ, CR, LR, SA, PE, BZ, FU		



**TT BASJ**

TT-TE JEWEL NAVEL BANANABELL		
thickness	length	ball
1.6	8, 10, 12	4&6
stones: AB, AQ, CR, LR, SA, PE, BZ, FU		



**TT BASDJ**

TT-TE DOUBLE JEWEL NAVEL BANANABELL		
thickness	length	ball
1.6	8, 10, 12	4&6
stones: AB, AQ, CR, LR, SA, PE, BZ, FU		



**TT BBC**

TT-TE EYEBROW BARBELLS		
thickness	length	ball
1.2	6, 8, 10	3



**TT BBL**

TT-TE BARBELLS		
thickness	length	ball
1.2	6, 8, 10	3
1.6	6, 8, 10, 12, 14	4
1.6	14, 16, 19, 22	5
1.6	22	6



**TT LAB**

TT-TE LABRETS		
thickness	length	ball
1.2	6, 8, 10	3
1.6	8, 10, 12	4



**TT CBB**

TT-TE CIRCULAR BARBELLS		
thickness	diameter	ball
1.2	6, 8, 12	3
1.6	6, 8, 10, 12, 14	4



**TTBCR**

TT-TE BALL CLOSURE RINGS	
thickness	diameter
1.2	6, 8, 10, 12
1.6	8, 10, 12, 14



**TTSEG**

TT-TE SMOOTH SEGMENT RINGS	
thickness	diameter
1.6	10



**TTCON**

TT-TE CONTINUOUS RINGS	
thickness	diameter
0.8	6, 8
1.0	8, 10, 12




**TTTWE**

TT-TE TWISTERS	
thickness	diameter
1.6	11




**TTSBE**

TT-TE SCREW-ON BALLS	
thickness	ball
1.2	2, 2.5, 3, 4
1.6	3, 4, 5, 6



**TTCNE**

TT-TE SCREW-ON CONES		
thickness	base	length
1.2	2.5	3
1.2	3	3, 8, 10
1.2	4	4



**TTSBEJ**

TT-TE SCREW ON JEWELLED BALLS	
thickness	ball
1.2	2.5, 3
1.6	4, 5, 6

stones: AB, AQ, CR, LR, SA, PE, BZ, FU



# TITANIUM COLOR - BLACK (PVD)



**BKBAN**

BK TT BANANABELLS		
thickness	length	ball
1.6	8, 10, 12	5&5



**BKNBAN**

BK TT BANANABELLS		
thickness	length	ball
1.6	8, 10, 12	4&6, 5&8



**BKBBL**

BK TT BARBELLS		
thickness	length	ball
1.2	6, 8, 10, 12	3
1.6	8, 10, 12, 14	4
1.6	16, 18, 20, 22	5



**BKBANDJ**


TT BK DOUBLE JEWEL NAVEL BANANABELL		
thickness	length	ball
1.6	8, 10, 12	5&8

stones: AB, AQ, CR, LR, SA, PE, BZ, FU



**BKBBC**

BK TT EYEBROW BARBELLS		
thickness	length	ball
1.2	8, 10, 12	3



**BKCNE**

BK TT SCREW-ON CONES	
thickness	base
1.2	3
1.6	4



**BKBCR**

BK TT BALL CLOSURE RINGS	
thickness	diameter
1.2	6, 8, 10, 12
1.6	8, 10, 12, 14, 16



**BKCB**

BK TT CIRCULAR BARBELLS		
thickness	diameter	ball
1.2	8, 10	3
1.6	10, 12, 14	4



**BKSBEJ**

BK TT SCREW ON JEWELLED BALLS	
thickness	ball
1.2	3
1.6	4, 5

stones: AB, AQ, CR, LR, SA, PE, BZ, FU



**BKLAB**

BK TT LABRETS		
thickness	length	ball
1.2	6, 8, 10, 12	3
1.6	8, 10, 12	4



**BKBANJ**

BK TT JEWEL NAVEL BANANABELL		
thickness	length	ball
1.6	8, 10, 12	5&8

stones: AB, AQ, CR, LR, SA, PE, BZ, FU





03

## GBSDX

GD 316 HINGED SEPTUM & DAITH CLICKERS		
thickness	diameter	model
1.2	6	3, 6, 7, 8, 9, 10, 11, 12, 13, 14



06      07      08      09      10



11      12      13      14



## GDBSPX-01

GD 316 SEPTUM PINCHER (FLAT TOP)	
thickness	diameter
1.6	8



## GDCBSS-13

GD 316 JEWELLED CURVED BAR SEPTUM CLICKERS mod. 13	
thickness	diameter
1.2	6, 8
stones: WH	



WH



## GDAPS

GD 316 SEPTUM CLICKERS AFRICAN PATTERN mod. 1	
thickness	diameter
1.2	8



## GDCBB

GD 316 CIRCULAR BARBELLS		
thickness	diameter	ball
0.8	6, 7	2.5
1.0	7, 8	2.5
1.2	6, 8, 10, 12	2.5, 3
1.6	6, 8, 10, 12, 14	3
1.6	8, 10, 12, 14	4



## GDCCPT

GD 316 CLICKERS W/ PYRAMID TEXTURE	
thickness	diameter
1.2	8, 10



## GDBCR

GD 316 BALL CLOSURE RINGS		
thickness	diameter	ball
1.2	6, 7	3
1.2	8, 10	4
1.6	8, 10, 12	4



## GDCBSS-12

GD 316 JEWELLED CURVED BAR SEPTUM CLICKERS mod. 12	
thickness	diameter
1.2	6, 8
stones: WH	



WH



## GDCON

GD 316 CONTINUOUS RING	
thickness	diameter
0.8, 1.0	6, 8, 10



# STEEL RINGS



## GDCHZ-03


GD 316 ETERNITY HINGED RING mod. 03	
thickness	diameter
1.0	5, 6, 8
1.2	5, 6, 8, 10, 12
stones: WH	



## GDDCR



GD 316 JEWELLED FLAT BCR		
thickness	diameter	ball
1.2	8	2.5, 3, 4
stones: AB, AQ, CR, LR		



## GDFBR

GD 316 FIXED BEAD RINGS	
thickness	diameter
1.0	7, 8, 9



## GDCHZ

GD 316 HINGED CLICKER		
thickness	diameter	model
1.2	12	27, 32, 34, 44, 45, 48
stones: WH		



27



## GDHCRMZ

GD 316 HINGED RING		
thickness	diameter	model
1.2	12	04, 1825, 1835, 23, 26, 28, 30, 36, 41, 42

04



## GDHCRMZ

GD 316 HINGED RING SET W. ZIRCONIA		
thickness	diameter	model
1.2	12	21, 22, 32, 37, 38, 40, 41, 42, 43, 44, 46, 47, 49
stones: WH		



21



**GDHNCR**



GD 316 HINGED BALL CLOSURE RING		
thickness	diameter	ball
1.0	8	3
1.0	10	4
1.2	6, 8	3
1.2	10, 12	4
1.6	8	3
1.6	10, 12	4
2.0	10	4
2.0	12	5
2.4	10	5
2.4	12	6
3.2	12, 14	6
4.0	14, 16	7



**GDHRTW**

GD 316 HINGED RING TWISTED ROPE	
thickness	diameter
1.2	6, 8, 10



**GDHSRDY-01**

GD 316 PLAIN V SHAPED CLICKER	
thickness	diameter
1.2	8



**GDHSRHX-01**

GD 316 HINGED HEART RING	
thickness	diameter
1.2	7, 8, 10



**GDHSHE**

GD 316 HINGED JEWELLED HEART RING	
thickness	diameter
1.6	10
stones: WH	



**GDHSRHSG-01L**

GD 316 JEWELLED HINGED HEART RING (LEFT)	
thickness	diameter
1.2	7, 8, 10
stones: WH	



**GDHSRCHA-01**

GD 316 CLICKER WITH DANGLE CHAINS	
thickness	diameter
1.2	8



**GDHSRHSG-01R**

GD 316 JEWELLED HINGED HEART RING (RIGHT)	
thickness	diameter
1.2	7, 8, 10
stones: WH	



**GDHSRMX-03**

GD 316 HINGED CLICKER (3 BALLS)	
thickness	diameter
1.0	6, 7
1.2	8, 10

# STEEL RINGS



**GDHSRMX-04**

GD 316 HINGED CLICKER (TWISTED ROPE)	
thickness	diameter
1.0	6, 7
1.2	6, 8, 10



**GDHSRMX-19**

GD 316 HINGED CLICKER (3 ROWS SLANTED)	
thickness	diameter
1.2	8, 10



**GDHSRMX-22**

GD 316 HINGED TRIBAL CLICKER	
thickness	diameter
1.2	8, 10



**GDHSRMX-25**

GD 316 HINGED TRIBAL CLICKER	
thickness	diameter
1.2	8, 10



**GDHSRMX-05**

GD 316 HINGED CLICKER (DOUBLE)	
thickness	diameter
1.2	8, 10



**GDHSRMX-20**

GD 316 HINGED TRIBAL CLICKER	
thickness	diameter
1.2	7



**GDHSRMX-23**

GD 316 HINGED BAMBOO CLICKER	
thickness	diameter
1.2	8, 10



**GDHSRMX-26**

GD 316 CLICKER RING (CROSS)	
thickness	diameter
1.2	8, 10



**GDHSRMX-18**

GD 316 PLAIN HINGED HOOPS		
thickness	diameter	size
1.2	8, 10	2.5, 3.5



**GDHSRMX-21**

GD 316 HINGED TRIBAL CLICKER	
thickness	diameter
1.2	8



**GDHSRMX-24**

GD 316 HINGED TRIBAL CLICKER	
thickness	diameter
1.2	8



**GDHSRMX-27**

GD 316 HINGED TRIBAL CLICKER	
thickness	diameter
1.2	8, 10



**GDHSRMX-29**

GD 316 HINGED TRIBAL CLICKER	
thickness	diameter
1.2	8, 10



**GDHSRMX-32**

GD 316 ETHNIC HINGED CLICKER	
thickness	diameter
1.2	8, 10



**GDHSRMX-35**

GD 316 ETHNIC HINGED CLICKER	
thickness	diameter
1.2	8, 10



**GDHSRMX-38**

GD 316 HINGED TRIBAL CLICKER	
thickness	diameter
1.2	8, 10



**GDHSRMX-30**

GD 316 HINGED CLICKER (SNAKE)	
thickness	diameter
1.2	10



**GDHSRMX-33**

GD 316 ETHNIC HINGED CLICKER	
thickness	diameter
1.2	8, 10



**GDHSRMX-36**

GD 316 HINGED CLICKER (PYRAMIDS & SPIKES)	
thickness	diameter
1.2	10



**GDHSRMX-39**

GD 316 HINGED CLICKER WITH ROPE AND SPIKE	
thickness	diameter
1.2	8, 10



**GDHSRMX-31**

GD 316 ETHNIC HINGED CLICKER	
thickness	diameter
1.2	8, 10



**GDHSRMX-34**

GD 316 ETHNIC HINGED CLICKER	
thickness	diameter
1.2	8, 10



**GDHSRMX-37**

GD 316 HINGED CLICKER (PYRAMIDS & SPIKES)	
thickness	diameter
1.2	8, 10



**GDHSRMX-40**

GD 316 ETHNIC HINGED CLICKER	
thickness	diameter
1.2	10

# STEEL RINGS



## GDHSRMX-41

GD 316 HINGED CLICKER (CHAIN STYLE)	
thickness	diameter
1.2	10



## GDHSRMX-42

GD 316 HINGED CLICKER (HEARTS)	
thickness	diameter
1.2	10



## GDHSRMX-50

GD 316 HINGED RING WITH CHAIN DANGLES (PLAIN)	
thickness	diameter
1.2	8



## GDHSRMX-51

GD 316 HINGED RING WITH CHAIN DANGLES (PLAIN)	
thickness	diameter
1.2	8



## GDHSRMZ-10

GD 316 HINGED RING W/ZIRCONIA mod. 10	
thickness	diameter
1.2	8, 10
stones: BK, CR	



## GDHSRMZ-11

GD 316 HINGED RING SET W. ZIRCONIA	
thickness	diameter
1.2	8, 10
stones: WH	



## GDHSRMZ-115



GD 316 HINGED RING WITH PEAR SHAPE STONE DANGLES	
thickness	diameter
1.2	8
stones: WH	



## GDHSRMZ-116

GD 316 HINGED RING WITH PEAR SHAPE AND ROUND STONE DANGLES	
thickness	diameter
1.2	8
stones: WH	



## GDHSRMZ-117

GD 316 HINGED RING WITH PEAR SHAPE AND ROUND STONE DANGLES	
thickness	diameter
1.2	8
stones: WH	



## GDHSRMZ-15

GD 316 HINGED RING (SINGLE ROW) SET W. ZIRCONIA	
thickness	diameter
1.2	8, 10
stones: WH	



## GDHSRMZ-16

GD 316 HINGED RING (DOUBLE ROW) SET W. ZIRCONIA	
thickness	diameter
1.2	8, 10
stones: WH	



## GDHSRMZ-19

GD 316 TRIPLE HINGED RING SET WITH ZIRCONIA	
thickness	diameter
1.2	7
stones: WH	





**GDHSRMZ-20**

GD 316 TRIPLE SLANTED HINGED RING SET W. ZIRCONIA	
thickness	diameter
1.2	6, 8, 10
stones: WH	



**GDHSRSG-01**

GD 316 HINGED RING SET with Jewels	
thickness	diameter
1.0	6, 8
1.2	6, 8, 10
stones: WH	



**GDHSRSG-36**

GD 316 HINGED CLICKER SET with Front Jewels	
thickness	diameter
1.2	6, 7, 8
stones: WH	



**GDHSRSG-52**

GD 316 HINGED RING SET with Jewels	
thickness	diameter
1.2	6, 8, 10
stones: WH	



**GDHSRMZ-21**

GD 316 HINGED RING SET W. MARQUISE ZIRCONIA	
thickness	diameter
1.2	8, 10
stones: WH	



**GDHSRSG-26**

GD 316 HINGED RING SET with Jewels	
thickness	diameter
1.2	8, 10
stones: WH	



**GDHSRSG-48**

GD 316 DOUBLE CLICKER SET with Jewels	
thickness	diameter
1.2	6, 8, 10
stones: WH	



**GDHSRSG-53**

GD 316 V SHAPE CLICKER SET with Jewels	
thickness	diameter
1.2	8, 10
stones: WH	



**GDHSRMZ-40**

GD 316 HINGED RING SET W. SQUARE ZIRCONIA	
thickness	diameter
1.2	6, 8, 10
stones: WH	



**GDHSRSG-34**

GD 316 HINGED RING SET with Jewels	
thickness	diameter
1.2	8, 10
stones: WH	



**GDHSRSG-50**

GD 316 HINGED CLICKER SET with Front Jewels	
thickness	diameter
1.2	6, 8
stones: WH	



**GDHSRSG-54**

GD 316 CLICKER SET with Jewels	
thickness	diameter
1.2	8, 10
stones: WH	



# STEEL RINGS



## GDJSDSG

GD 316 HINGED SEPTUM/DAITH CLICKER		
thickness	diameter	model
1.2	6	01, 07, 08, 09, 11, 12
stones: WH		



## GDJSDZ-06

GD 316 HINGED DAITH CLICKER mod. 6	
thickness	diameter
1.2	6
stones: WH	



## GDJSDZ-10

GD 316 HINGED DAITH CLICKER mod. 10	
thickness	diameter
1.2	6
stones: WH	



## GDSBCS12

GD 316 SEPTUM CLICKERS SIDE BALL CHAIN	
thickness	diameter
1.2	8



## GDSCFT

GD 316 CLICKERS WITH FEATHER TEXTURE	
thickness	diameter
1.2	8, 10



## GDMUB

GD 316 DOUBLE JEWELLED MICRO U BARBELLS	
thickness	diameter
1.2	4
stones: AB, AQ, CR, LR	



## GDSCK

GD 316 SEPTUM CLICKER	
thickness	diameter
1.2	6, 8
1.6	6, 8
stones: CR	



## GDHSRMZ-12

GD 316 HINGED RING W/ZIRCONIA mod. 12	
thickness	diameter
1.2	8, 10
stones: BK, CR	



## GDSRZ

GD 316 V SHAPE SEPTUM CLICKER WITH ZIRCONIA	
thickness	diameter
1.2	8
stones: WH	





**GDSWMA**

GD 316 SEPTUM CLICKER WITH MARQUISE ZIRCONIA	
thickness	diameter
1.2	8
stones: WH, BK	



**GDSWPA**

GD 316 SEPTUM CLICKERS SWAROVSKI PAVE SETTING	
thickness	diameter
1.2, 1.6	8
stones: WH	



**GDTRH**

GD 316 HINGED RING 3 RINGS	
thickness	diameter
1.2	8, 10



**GDTRS**

GD 316 SEPTUM CLICKERS 3 RINGS	
thickness	diameter
1.2	6, 8



**GDTWHR**

GD 316 TWISTER HINGED RING	
thickness	diameter
1.2	12



**GDVSH**

GD 316 PLAIN V SHAPED SEPTUM CLICKER	
thickness	diameter
1.2	6, 8



**GSHR3R1207**

GD 316 HINGED RING 3 RINGS	
thickness	diameter
1.2	7



**KAPS**

BK 316 SEPTUM CLICKERS AFRICAN PATTERN mod. 1	
thickness	diameter
1.2	8
1.6	8



**KBSDX1206-10**

BK 316 HINGED SEPTUM & DAITH CLICKERS mod. 10	
thickness	diameter
1.2	6

# STEEL RINGS



## KBCR

BK 316 BALL CLOSURE RING		
thickness	diameter	ball
0.8	5, 6, 8	2
1.0	6	3
1.0	8	4
1.2	6, 8, 10, 12	3
1.6	14	3
1.6	8, 10, 12	4
1.6	16	6
2.0	12	5
2.0	14, 16	6
2.4	12	5
2.4	14, 16	6
3.2	12, 14, 16	6
4.0	12	6
4.0	14, 16	7
5.0	12, 14, 16	8
6.0	12, 14, 16	8
8.0	12, 14, 16	8



## KBSPX-01

BK 316 SEPTUM PINCHER (FLAT TOP)	
thickness	diameter
1.6	8



## KCBB2C

BK 316 CIRCULAR BARBELLS W/CONES		
thickness	diameter	base
1.2	6	2.5, 3
1.2	8, 10	3, 4
1.2	12	3, 4



## KCBSS-12

BK 316 JEWELLED CURVED BAR SEPTUM CLICKERS mod. 12	
thickness	diameter
1.2	6, 8

stones: WH  
WH



## KCBSS-13

BK 316 JEWELLED CURVED BAR SEPTUM CLICKERS mod. 13	
thickness	diameter
1.2	6, 8
1.6	6

stones: WH  
WH



## KHSRDY-01

BK 316 PLAIN V SHAPED CLICKER	
thickness	diameter
1.2	8



## KHSRHX-01

BK 316 HINGED HEART RING	
thickness	diameter
1.2	7, 8, 10



## KCHZ-03

BK 316 ETERNITY HINGED RING mod. 03	
thickness	diameter
1.0	5, 6, 8
1.2	5, 6, 8, 10, 12

stones: WH  
WH



**KCBB**

BK 316 CIRCULAR BARBELLS		
thickness	diameter	ball
0.8	6, 7	2.5
1.0	7, 8	2.5
1.2	6, 8, 10, 12	2.5
1.2	6, 8, 10, 12	3
1.6	8, 10, 12, 14	3
1.6	8, 10, 12, 14	4
2.0	12, 14	5
2.0	16	6
2.4	12, 14	5
2.4	16	6
3.2	12, 14, 16	6
4.0	12, 14, 16	6



**KCBBi**

BK 316 INTERNAL CIRCULAR BARBELLS	
thickness	diameter
5.0, 6.0, 8.0	12, 14, 16



**KCON**

BK 316 CONTINUOUS RING	
thickness	diameter
0.8, 1.0	6, 8, 10




**KDCR**

BK 316 JEWELLED FLAT BCR		
thickness	diameter	ball
1.2	8	2.5, 3, 4
stones: AB, AQ, CR, LR		



**KDMUB**

BK 316 DOUBLE JEWELLED MICRO U BARBELLS		
thickness	diameter	ball
1.2	4	2.5
stones: AB, AQ, CR, LR		



**KCKSR**

BK 316 CLICK SEGMENT RING	
thickness	diameter
0.8	5, 6, 7
1.0	6, 8, 10
1.2	6, 8, 10, 12
1.6	6, 8, 10, 12
2.0	6, 8, 10, 12, 14, 16, 18, 20, 22
2.4	8, 10, 12, 14, 16, 18, 20, 22



**KFBR**

BK 316 FIXED BEAD RINGS	
thickness	diameter
1.0	7, 8, 9



**KSEG**

BK 316 SEGMENT RINGS	
thickness	diameter
2.0, 2.4, 3.2	12
4.0	14

# STEEL RINGS

## KHNCR



BK 316 HINGED BALL CLOSURE RING		
thickness	diameter	ball
1.0	8	3
1.0	10	4
1.2	6, 8	3
1.2	10, 12	4
1.6	8	3
1.6	10, 12	4
2.0	10	4
2.0	12	5
2.4	10	5
2.4	12	6
3.2	12, 14	6
4.0	14, 16	7



## KHSRSG-53

BK 316 V SHAPE CLICKER SET with Jewels	
thickness	diameter
1.2	8, 10



WH



## KSRZ

BK 316 V SHAPE SEPTUM CLICKER WITH ZIRCONIA	
thickness	diameter
1.2	8



WH



## KHSRSG-36

BK 316 HINGED CLICKER SET with Front Jewels	
thickness	diameter
1.2	6, 7, 8



WH



## KHSRSG-54

BK 316 CLICKER SET with Jewels	
thickness	diameter
1.2	8, 10



WH



## KHSRSG-01

BK 316 HINGED RING SET with Jewels	
thickness	diameter
1.0	6, 8
1.2	6, 8, 10



WH



## KHSRSG-48

BK 316 DOUBLE CLICKER SET with Jewels	
thickness	diameter
1.2	6, 8, 10



WH



## KSBCS

BK 316 SEPTUM CLICKERS SIDE BALL CHAIN	
thickness	diameter
1.2	8
1.6	8



**KSCK**

BK 316 SEPTUM CLICKER	
thickness	diameter
1.2, 1.6	6, 8
stones: CR	



CR



**KTRH**

BK 316 HINGED RING 3 RINGS	
thickness	diameter
1.2	8, 10



**KTRS**

BK 316 SEPTUM CLICKERS 3 RINGS	
thickness	diameter
1.2	6, 8



**KTWHR**

BK 316 TWISTER HINGED RING	
thickness	diameter
1.2	12



**KVSH**

BK 316 PLAIN V SHAPED SEPTUM CLICKER	
thickness	diameter
1.2	6, 8



**KHRTW**

BK 316 HINGED RING TWISTED ROPE	
thickness	diameter
1.2	6, 8, 10
1.6	8, 10



**RGBCR**

RG 316 BALL CLOSURE RINGS		
thickness	diameter	ball
1.2	6, 7	3
1.2	8, 10	4
1.6	8, 10, 12	4
1.6	14, 16	3



**RGAPS**

RG 316 SEPTUM CLICKERS AFRICAN PATTERN mod. 1	
thickness	diameter
1.2	8
1.6	8



**RGBSDX**

RG 316 HINGED SEPTUM & DAITH CLICKERS		
thickness	diameter	model
1.2	6	3, 6, 7, 8, 9, 10, 11, 12, 13, 14



# STEEL RINGS



## RGBSPX-01

RG 316 SEPTUM PINCHER (FLAT TOP)	
thickness	diameter
1.6	8



## RGCBB

RG 316 CIRCULAR BARBELLS		
thickness	diameter	ball
0.8	6, 7	2.5
1.0	7, 8	2.5
1.2	6, 8, 10, 12	2.5
1.2	6, 8, 10, 12	3
1.6	6, 8, 10, 12, 14	3
1.6	8, 10, 12, 14	4



## RGCBS-12

RG 316 JEWELLED CURVED BAR SEPTUM CLICKERS mod. 12	
thickness	diameter
1.2	6, 8

stones: WH



## RGCBS-13

RG 316 JEWELLED CURVED BAR SEPTUM CLICKERS mod. 13	
thickness	diameter
1.2	6, 8

stones: WH



## RGCHZ-03

RG 316 ETERNITY HINGED RING mod. 03	
thickness	diameter
1.0	5, 6, 8
1.2	5, 6, 8, 10, 12

stones: WH



## RGCHZ

RG 316 HINGED CLICKER		
thickness	diameter	model
1.2	12	27, 32, 34, 44, 45, 48

stones: WH



27



32

34

44

45

48



## RGCKSR

RG 316 CLICK SEGMENT RING	
thickness	diameter
0.8	5, 6, 7
1.0	6, 8, 10
1.2, 1.6	6, 8, 10, 12
2.0, 2.4	6, 8, 10, 12, 14, 16, 18, 20, 22



## RGCON

RG 316 CONTINUOUS RINGS	
thickness	diameter
0.8	6, 8, 10
1.0	6, 8, 10



## RGDCR

RG 316 JEWELLED FLAT BCR		
thickness	diameter	ball
1.2	8	2.5, 3, 4

stones: AB, AQ, CR, LR





**RGDMUB**

RG 316 DOUBLE JEWELLED MICRO U BARBELLS		
thickness	diameter	ball
1.2	4	2.5
stones: AB, AQ, CR, LR		



**RGFBR**

RG 316 FIXED BEAD RINGS	
thickness	diameter
1.0	7, 8, 9



**RGHRTW**

RG 316 HINGED RING TWISTED ROPE	
thickness	diameter
1.2	6, 8, 10



**RGHNCR**

RG 316 HINGED BALL CLOSURE RING		
thickness	diameter	ball
1.0	8	3
1.0	10	4
1.2	6, 8	3
1.2	10, 12	4
1.6	8	3
1.6	10, 12	4
2.0	10	4
2.0	12	5
2.4	10	5
2.4	12	6
3.2	12, 14	6
4.0	14, 16	7



**RGHSRDX-01**

RG 316 PLAIN V SHAPED CLICKER	
thickness	diameter
1.2	8



**RGHSRHSG-01L**

RG 316 JEWELLED HINGED HEART RING (LEFT)	
thickness	diameter
1.2	7, 8, 10
stones: WH	



**RGHSRHX-01**

RG 316 HINGED HEART RING	
thickness	diameter
1.2	7, 8, 10



**RGHSRHSG-01R**

RG 316 JEWELLED HINGED HEART RING (RIGHT)	
thickness	diameter
1.2	7, 8, 10
stones: WH	



# STEEL RINGS

## RGHSRMZ-10



RG 316 HINGED RING W/ZIRCONIA mod. 10	
thickness	diameter
1.2	8, 10
stones: CR	



## RGHSRMZ-115



RG 316 HINGED RING WITH PEAR SHAPE STONE DANGLES	
thickness	diameter
1.2	8
stones: WH	



## RGHSRMZ-116



RG 316 HINGED RING WITH PEAR SHAPE AND ROUND STONE DANGLES	
thickness	diameter
1.2	8
stones: WH	



## RGHSRMZ-117



RG 316 HINGED RING WITH PEAR SHAPE AND ROUND STONE DANGLES	
thickness	diameter
1.2	8
stones: WH	



## RGHSRMZ-15



RG 316 HINGED RING (SINGLE ROW) SET W. ZIRCONIA	
thickness	diameter
1.2	8, 10
stones: WH	



## RGHSRMZ-16



RG 316 HINGED RING (DOUBLE ROW) SET W. ZIRCONIA	
thickness	diameter
1.2	8, 10
stones: WH	



## RGHSRMZ-20



RG 316 TRIPLE SLANTED HINGED RING SET W. ZIRCONIA	
thickness	diameter
1.2	6, 8, 10
stones: WH	



## RGHSRMZ-40



RG 316 HINGED RING SET W. SQUARE ZIRCONIA	
thickness	diameter
1.2	6, 8, 10
stones: WH	



## RGHSRSG-01



RG 316 HINGED RING SET with Jewels	
thickness	diameter
1.0	6, 8
1.2	6, 8, 10
stones: WH	



## RGHSRSG-36



RG 316 HINGED CLICKER SET with Front Jewels	
thickness	diameter
1.2	6, 7, 8
stones: WH	



## RGHSRSG-48



RG 316 DOUBLE CLICKER SET with Jewels	
thickness	diameter
1.2	6, 8, 10
stones: WH	



## RGHSRSG-53



RG 316 V SHAPE CLICKER SET	
thickness	diameter
1.2	8, 10
stones: WH	





**RGHSRSG-54**

RG 316 CLICKER SET with Jewels	
thickness	diameter
1.2	8, 10
stones: WH	



WH



**RGJSDSG**

RG 316 HINGED SEPTUM/DAITH CLICKER		
thickness	diameter	model
1.2	6	01, 07, 08, 09, 11, 12
stones: WH		



WH

01



07

08

09

11

12



**RGSCCK**

RG 316 SEPTUM CLICKER	
thickness	diameter
1.2	6, 8
1.6	6, 8
stones: CR	



CR



**RGSWPA**

RG 316 SEPTUM CLICKERS SWAROVSKI PAVE SETTING	
thickness	diameter
1.2	8
1.6	8
stones: WH	



WH



**RGTRH**

RG 316 HINGED RING 3 RINGS	
thickness	diameter
1.2	8, 10



**RGTRS**

RG 316 SEPTUM CLICKERS 3 RINGS	
thickness	diameter
1.2	6, 8



**RGTWHR**

RG 316 TWISTER HINGED RING	
thickness	diameter
1.2	12



**RGVSH**

RG 316 PLAIN V SHAPED SEPTUM CLICKER	
thickness	diameter
1.2	6, 8



**SAPS-1**

SS 316 SEPTUM CLICKERS AFRICAN PATTERN mod. 1	
thickness	diameter
1.2	8

# STEEL RINGS



## SBCR

SS 316 BALL CLOSURE RING		
thickness	diameter	ball
0.8	5, 6, 7, 8	2
0.8	8, 10	3
1.0	5, 7	2.5
1.0	6, 8	3
1.0	10, 12	4
1.2	6, 7, 8	2.5
1.2	7, 9	3
1.6	8, 10, 12	4
1.6	14, 16	6
2.0	8, 12	4
2.0	10, 14, 20	5
2.0	16, 18	8
2.4	8, 10, 12	5
2.4	14, 16, 18	6
3.2	10, 12, 14, 16	6
3.2	18	8
4.0, 5.0, 6.0	10, 12, 14, 16	8
8.0	12, 14, 16	10



## SBCD

SS 316 D-RINGS	
thickness	diameter
1.6	10, 12



## SBSDX

SS 316 HINGED SEPTUM & DAITH CLICKERS		
thickness	diameter	model
1.2	6	3, 6, 7, 8, 9, 10, 11, 12, 13, 14



3



6

7

8

9

10



11

12

13

14



## SCBB2C

SS 316 CIRCULAR BARBELLS W/ CONES		
thickness	diameter	base
1.2	8, 10, 12	3
1.6	6, 7, 8, 10, 12, 14	3
1.6	8, 10, 12	4



## SBJHR

SS 316 HINGED RING W/ CRYSTAL	
thickness	diameter
1.2	8, 10
stones: CR	



CR



## SBSPX-01

SS 316 SEPTUM PINCHER (FLAT TOP)	
thickness	diameter
1.6	8



## SCCPT

SS 316 CLICKERS W/ PYRAMID TEXTURE	
thickness	diameter
1.2	8, 10



**SCBB**



SS 316 CIRCULAR BARBELLS		
thickness	diameter	ball
0.8	6, 7	2.5
1.0	7, 8	2.5
1.2	5, 6, 7, 8, 9, 10, 12	2.5
1.2	6, 8, 10, 12	3
1.6	6, 7, 8, 10, 12, 14	3
1.6	8, 10, 12, 14, 16	4
1.6	8, 10, 12, 14	5
2.0	8, 10, 12, 14	5
2.4	10, 12	5
2.4	14, 16	6
3.2	12, 14, 16	6
4.0	14, 16, 18	8

**SCBBi**



SS 316 CIRCULAR BARBELLS INTERNAL	
thickness	diameter
5.0, 6.0, 8.0	14, 16, 19

**SCON**



SS 316 CONTINUOUS RINGS	
thickness	diameter
0.8, 1.0	6, 8, 10

**SCBSS-12**



SS 316 JEWELLED CURVED BAR SEPTUM CLICKERS mod. 12	
thickness	diameter
1.2	6, 8

stones: WH



**SCHZ-03**



SS 316 ETERNITY HINGED RING mod. 03	
thickness	diameter
1.0	5, 6, 8
1.2	5, 6, 8, 10, 12

stones: WH



**SCKSR**



SS 316 CLICK SEGMENT RING	
thickness	diameter
0.8	5, 6, 7
1.0	6, 8, 10
1.2	6, 8, 10, 12
1.6	6, 8, 10, 12
2.0	6, 8, 10, 12, 14, 16, 18, 20, 22
2.4	8, 10, 12, 14, 16, 18, 20, 22

**SCBSS-13**



SS 316 JEWELLED CURVED BAR SEPTUM CLICKERS mod. 13	
thickness	diameter
1.2	6, 8

stones: WH



**SCHZ**



SS 316 HINGED CLICKER		
thickness	diameter	model
1.2	12	27, 32, 34, 44, 45, 48

stones: WH



27



32 34



44 45 48

**SDHSRSG-01**



SS 316 HINGED RING SET mod. 01	
thickness	diameter
1.0	6, 8
1.2	6, 8, 10

stones: WH



# STEEL RINGS



## SDHSRSG-26

SS 316 HINGED RING SET with Jewels	
thickness	diameter
1.2	8, 10
stones: WH	



WH



## SDCR

SS 316 JEWELLED FLAT BCR		
thickness	diameter	ball
1.2	8	2.5, 3, 4
stones: AB, AQ, CR, LR		



AB AQ CR LR



## SDHSRSG-34

SS 316 HINGED RING SET with Jewels	
thickness	diameter
1.2	8, 10
stones: WH	



WH



## SDHSRSG-36

SS 316 HINGED CLICKER SET with Front Jewels	
thickness	diameter
1.2	6, 7, 8
stones: WH	



WH



## SDHSRSG-48

SS 316 DOUBLE CLICKER SET with Jewels	
thickness	diameter
1.2	6, 8, 10
stones: WH	



WH



## SDHSRSG-50

SS 316 HINGED CLICKER SET with Front Jewels	
thickness	diameter
1.2	6, 8
stones: WH	



WH



## SDHSRSG-52

SS 316 HINGED RING SET with Jewels	
thickness	diameter
1.2	6, 8, 10
stones: WH	



WH



## SDHSRSG-53

SS 316 V SHAPE CLICKER SET with Jewels	
thickness	diameter
1.2	8, 10
stones: WH	



WH



## SDHSRSG-54

SS 316 CLICKER SET with Jewels	
thickness	diameter
1.2	8, 10
stones: WH	



WH



**SDMUB**

SS 316 DOUBLE JEWELLED MICRO U BARBELLS		
thickness	diameter	ball
1.2	4	2.5
stones: AB, AQ, LR		



2

**SFNR**

FANCY NOSE RINGS	
model	
01, 02, 03, 04, 05, 06, 07, 09	



04

**SHCRMZ**

SS 316 HINGED RING		
thickness	diameter	model
1.2	12	04, 1825, 1835, 23, 26, 28, 30, 36, 41, 42



15

**SHCRMZ**

SS 316 HINGED RING SET W. ZIRCONIA		
thickness	diameter	model
1.2	12	15, 16, 21, 22, 32, 37, 38, 40, 41, 42, 43, 44, 46, 47, 49
stones: WH		



**SFBR**

FIXED BEAD RINGS	
thickness	diameter
1.0	7, 8, 9
1.2	10, 12

# STEEL RINGS

## SHNCR



SS 316 HINGED BALL CLOSURE RING		
thickness	diameter	ball
1.0	8	3
1.0	10	4
1.2	6, 8	3
1.2	10, 12	4
1.6	8	3
1.6	10, 12	4
2.0	10	4
2.0	12	5
2.4	10	5
2.4	12	6
3.2	12, 14	6
4.0	14, 16	7



## SHRTW

STEEL HINGED RING TWISTED ROPE	
thickness	diameter
1.2	6, 8, 10



## SHSHE

SS 316 HINGED JEWELLED HEART RING	
thickness	diameter
1.6	10

stones: WH, MGR, RE, BK



## SHSRCHA-01



SS 316 CLICKER WITH DANGLE CHAINS	
thickness	diameter
1.2	8

## SHSRCHA-02



SS 316 CLICKER WITH JEWELLED DANGLE CHAINS	
thickness	diameter
1.2	8

stones: WH



## SHSRDX-01

SS 316 PLAIN V SHAPED CLICKER	
thickness	diameter
1.2	8

## SHSRHSG-01L



SS 316 JEWELLED HINGED HEART RING LEFT	
thickness	diameter
1.2	7, 8, 10

stones: WH



## SHSRHSG-01R



SS 316 JEWELLED HINGED HEART RING RIGHT	
thickness	diameter
1.2	7, 8, 10

stones: WH



## SHSRHX-01

SS 316 HINGED HEART RING	
thickness	diameter
1.2	7, 8, 10



**SHSRMX-02**

SS 316 HINGED CLICKER (BARBWIRE)	
thickness	diameter
1.2	8, 10



**SHSRMX-03**

SS 316 HINGED CLICKER (3 BALLS)	
thickness	diameter
1.0	6, 7
1.2	8, 10



**SHSRMX-04**

SS 316 HINGED CLICKER (TWISTED ROPE)		
thickness	diameter	
1.0	6, 7	
1.2	6, 8, 10	



**SHSRMX-05**

SS 316 HINGED CLICKER (DOUBLE)	
thickness	diameter
1.2	8, 10



**SHSRMX-15**

SS 316 HINGED CLICKER (BALLS)	
thickness	diameter
1.2	8, 10



**SHSRMX-18**

SS 316 PLAIN HINGED HOOPS		
thickness	diameter	size
1.2	8, 10	2.5, 3.5



**SHSRMX-19**

SS 316 HINGED CLICKER (3 ROWS SLANTED)	
thickness	diameter
1.2	8, 10



**SHSRMX-20**

SS 316 HINGED TRIBAL CLICKER	
thickness	diameter
1.2	7



**SHSRMX-21**

SS 316 HINGED TRIBAL CLICKER	
thickness	diameter
1.2	8



**SHSRMX-22**

SS 316 HINGED TRIBAL CLICKER	
thickness	diameter
1.2	8, 10



**SHSRMX-23**

SS 316 HINGED BAMBOO CLICKER	
thickness	diameter
1.2	8, 10



**SHSRMX-24**

SS 316 HINGED TRIBAL CLICKER	
thickness	diameter
1.2	8

# STEEL RINGS



**SHSRMX-25**

SS 316 HINGED TRIBAL CLICKER	
thickness	diameter
1.2	8, 10



**SHSRMX-26**

SS 316 CLICKER RING (CROSS)	
thickness	diameter
1.2	8, 10



**SHSRMX-27**

SS 316 HINGED TRIBAL CLICKER	
thickness	diameter
1.2	8, 10



**SHSRMX-29**

SS 316 HINGED TRIBAL CLICKER	
thickness	diameter
1.2	8, 10



**SHSRMX-30**

SS 316 HINGED CLICKER (SNAKE)	
thickness	diameter
1.2	10



**SHSRMX-31**

SS 316 ETHNIC HINGED CLICKER	
thickness	diameter
1.2	8, 10



**SHSRMX-32**

SS 316 ETHNIC HINGED CLICKER	
thickness	diameter
1.2	8, 10



**SHSRMX-33**

SS 316 ETHNIC HINGED CLICKER	
thickness	diameter
1.2	8, 10



**SHSRMX-34**

SS 316 ETHNIC HINGED CLICKER	
thickness	diameter
1.2	8, 10



**SHSRMX-35**

SS 316 ETHNIC HINGED CLICKER	
thickness	diameter
1.2	8, 10



**SHSRMX-36**

SS 316 HINGED CLICKER (PYRAMIDS & SPIKES)	
thickness	diameter
1.2	10



**SHSRMX-37**

SS 316 HINGED CLICKER (PYRAMIDS & SPIKES)	
thickness	diameter
1.2	8, 10



**SHSRMX-38**

SS 316 HINGED TRIBAL CLICKER	
thickness	diameter
1.2	8, 10



**SHSRMX-39**

SS 316 HINGED CLICKER WITH ROPE AND SPIKE	
thickness	diameter
1.2	8, 10



**SHSRMX-40**

SS 316 ETHNIC HINGED CLICKER	
thickness	diameter
1.2	10



**SHSRMX-41**

SS 316 HINGED CLICKER (CHAIN STYLE)	
thickness	diameter
1.2	10



**SHSRMX-42**

SS 316 HINGED CLICKER (HEARTS)	
thickness	diameter
1.2	10



**SHSRMX-50**

SS 316 HINGED RING WITH CHAIN DANGLES (PLAIN)	
thickness	diameter
1.2	8



**SHSRMX-51**

SS 316 HINGED RING WITH CHAIN DANGLES (PLAIN)	
thickness	diameter
1.2	8



**SHSRMZ-01**

SS 316 HINGED RING SET W. ZIRCONIA (FRONT FACING)	
thickness	diameter
1.2	6, 8, 10
stones: WH	



**SHSRMZ-02**

SS 316 HINGED RING SET W. ZIRCONIA (FRONT FACING)	
thickness	diameter
1.2	8, 10
stones: WH	



**SHSRMZ-10**

SS 316 HINGED RING W/ZIRCONIA mod. 10	
thickness	diameter
1.2	8, 10
stones: BK, CR	



**SHSRMZ-11**

SS 316 HINGED RING SET W. ZIRCONIA	
thickness	diameter
1.2	8, 10
stones: WH	



**SHSRMZ-115**

SS 316 HINGED RING SET W. ZIRCONIA	
thickness	diameter
1.2	8
stones: WH	



# STEEL RINGS



## SHSRMZ-116

SS 316 HINGED RING WITH PEAR SHAPE AND ROUND STONE DANGLES	
thickness	diameter
1.2	8
stones: WH	



WH



## SHSRMZ-117

SS 316 HINGED RING WITH PEAR SHAPE AND ROUND STONE DANGLES	
thickness	diameter
1.2	8
stones: WH	



WH



## SHSRMZ-12

SS 316 HINGED RING W/ZIRCONIA mod. 12	
thickness	diameter
1.2	8, 10
stones: BK, CR	



BK CR



## SHSRMZ-13

SS 316 HINGED RING W/ZIRCONIA mod. 13	
thickness	diameter
1.2	8, 10
stones: BK, CR	



BK CR



## SHSRMZ-14

SS 316 HINGED RING SET W. TEARDROP ZIRCONIA	
thickness	diameter
1.2	8, 10
stones: WH	



WH



## SHSRMZ-15

SS 316 HINGED RING (SINGLE ROW) SET W. ZIRCONIA	
thickness	diameter
1.2	8, 10
stones: WH	



WH



## SHSRMZ-16

SS 316 HINGED RING (DOUBLE ROW) SET W. ZIRCONIA	
thickness	diameter
1.2	8, 10
stones: WH	



WH



## SHSRMZ-17

SS 316 HINGED RING W/ZIRCONIA mod. 17	
thickness	diameter
1.2	8, 10
stones: CR	



CR



## SHSRMZ-18

SS 316 HINGED RING W/ZIRCONIA mod. 18	
thickness	diameter
1.2	8, 10
stones: CR	



CR



## SHSRMZ-19

SS 316 TRIPLE HINGED RING SET WITH ZIRCONIA	
thickness	diameter
1.2	7
stones: WH	



WH



## SHSRMZ-20

SS 316 TRIPLE SLANTED HINGED RING SET W. ZIRCONIA	
thickness	diameter
1.2	6, 8, 10
stones: WH	



WH



## SHSRMZ-21

SS 316 HINGED RING SET W. MARQUISE ZIRCONIA	
thickness	diameter
1.2	8, 10
stones: WH	



WH



**SHSRMZ-40**

SS 316 HINGED RING SET W. SQUARE ZIRCONIA	
thickness	diameter
1.2	6, 8, 10
stones: WH	



**SHSRMZ-FL**

SS 316 FLOWER HINGED RING SET W. ZIRCONIA (SIDE FACING)	
thickness	diameter
1.2	8, 10
stones: WH	



01



**SDJSDSG**

SS 316 HINGED SEPTUM/DAITH CLICKER		
thickness	diameter	model
1.2	6	01, 07, 08, 09, 11, 12
stones: WH		



07

08

09

11

12



**SJSDZ-02**

SS 316 HINGED DAITH CLICKER mod. 02	
thickness	diameter
1.2	6
stones: WH	



**SJSDZ-03**

SS 316 HINGED DAITH CLICKER mod. 03	
thickness	diameter
1.2	6
stones: WH	



**SJSDZ-05**

SS 316 HINGED DAITH CLICKER mod. 05	
thickness	diameter
1.2	6
stones: WH	



**SJSDZ-06**

SS 316 HINGED DAITH CLICKER mod. 06	
thickness	diameter
1.2	6
stones: WH	



**SJSDZ-10**

SS 316 HINGED DAITH CLICKER mod. 10	
thickness	diameter
1.2	6
stones: WH	



**SJSSZ**

STEEL JEWELLED SEPTUM CLICKERS SWAROVSKI	
thickness	diameter
1.2	6, 8
1.6	6

# STEEL RINGS



## SOPCS

SS 316 OPAL CURVED SEPTUM CLICKERS	
thickness	diameter
1.2	8

opal: BK, LGR, PI, RE, SA, WH



## SOPCS-13

SS 316 OPAL CURVED SEPTUM CLICKERS	
thickness	diameter
1.2	8

opal: BK, LGR, PI, RE, SA, WH



## SOPCSN

SS 316 CLICKER WITH OPAL	
thickness	diameter
1.2	8, 10

opal: BK, LGR, PI, RE, SA, WH



## SSBCS

SEPTUM CLICKERS SIDE BALL CHAIN	
thickness	diameter
1.2	8



## SSCFT

SS 316 CLICKERS WITH FEATHER TEXTURE	
thickness	diameter
1.2	8, 10



## SSCK

SS 316 SEPTUM CLICKER	
thickness	diameter
1.2	6, 8
1.6	6, 8

stones: CR



## SSCS

SS 316 SEPTUM SKULL CLICKER	
thickness	diameter
1.2	6, 8
1.6	6, 8

stones: WH



## SSEG

SS 316 SEGMENT RINGS	
thickness	diameter
1.2	8, 10
1.6	10, 12
2.0	10, 12, 14
2.4	10, 12, 14
3.2	12, 14, 16
4, 5	14, 16, 19
6	16, 19



## SSHR3R1207

SS 316 HINGED RING 3 RINGS	
thickness	diameter
1.2	7



**SSK**

SS 316 SEPTUM RETAINER	
thickness	
1.2, 1.6	



**SSRHZ-01L**

SS 316 ANNEALED HEART RING PAVE SET W. ZIRCONIA (LEFT)	
thickness	diameter
1.2	10
stones: BK, WH	



**SSRHZ-01R**

SS 316 ANNEALED HEART RING PAVE SET W. ZIRCONIA (RIGHT)	
thickness	diameter
1.2	10
stones: BK, WH	



**SSRHZ-02L**

SS 316 ANNEALED HEART RING PRONG SET W. ZIRCONIA (LEFT)	
thickness	diameter
1.2	10
stones: BK, WH	



**SSRHZ-02R**

SS 316 ANNEALED HEART RING PRONG SET W. ZIRCONIA (RIGHT)	
thickness	diameter
1.2	10
stones: BK, WH	



**SSRX**

SS 316 SEPTUM CLICKER PLAIN OVAL PROFILE	
thickness	diameter
1.2	6, 8



**SSRZ**

SS 316 V SHAPE SEPTUM CLICKER WITH ZIRCONIA	
thickness	diameter
1.2	8
stones: WH	



**SSWMA**

SS 316 SEPTUM CLICKER WITH MARQUISE ZIRCONIA	
thickness	diameter
1.2	8
stones: BK, WH	



**SSWPA**

SS 316 SEPTUM CLICKERS SWAROVSKI PAVE SETTING	
thickness	diameter
1.2	8
1.6	8
stones: BK, WH	



# STEEL RINGS



## STRH

SS 316 HINGED RING 3 RINGS	
thickness	diameter
1.2	8, 10



## SUK

"U" KEEPERS
thickness
1.6



## SVSH

SS 316 PLAIN V SHAPED SEPTUM CLICKER	
thickness	diameter
1.2	6, 8



## STRS

SS 316 SEPTUM CLICKERS 3 RINGS	
thickness	diameter
1.2	6, 8



## STWE

SS 316 TWIST RINGS		
thickness	diameter	ball
1.2	8, 10	2.5
1.2	10	3
1.6	10, 12	4
2.0	12	5
2.4	12	5
3.2	12	6
4.0	12	8



## STWHR

SS 316 TWISTER HINGED RING	
thickness	diameter
1.2	12



**FAB1610-105**

FASHION BANANA mod. 105	
thickness	length
1.6	10
attachment material	
STAINLESS STEEL	
stones: CR	



CR



**FAB1610-106**

FASHION BANANA mod. 106	
thickness	length
1.6	10
attachment material	
STAINLESS STEEL	
stones: CR	



CR



**FAB1610-39**

FASHION BANANAS BEAR	
thickness	length
1.6	10
attachment material	
BRASS + RODIUM PLATED (Nickel free)	



**FAB1610-40**

FASHION BANANAS CRAB1	
thickness	length
1.6	10
attachment material	
BRASS + RODIUM PLATED (Nickel free)	



**FAB1610-41**

FASHION BANANAS BEETLE1	
thickness	length
1.6	10
attachment material	
BRASS + RODIUM PLATED (Nickel free)	



**FAB1610-42**

FASHION BANANAS TURTLE	
thickness	length
1.6	10
attachment material	
BRASS + RODIUM PLATED (Nickel free)	



**FAB1610-43**

FASHION BANANAS SCORPION	
thickness	length
1.6	10
attachment material	
BRASS + RODIUM PLATED (Nickel free)	



**FAB1610-44**

FASHION BANANAS LIZARD1	
thickness	length
1.6	10
attachment material	
BRASS + RODIUM PLATED (Nickel free)	



**FAB1610-45**

FASHION BANANAS CUBIC CROSS	
thickness	length
1.6	10
attachment material	
BRASS + RODIUM PLATED (Nickel free)	



**FAB1610-46**

FASHION BANANAS DRAGON FLY	
thickness	length
1.6	10
attachment material	
BRASS + RODIUM PLATED (Nickel free)	



**FAB1610-47**

FASHION BANANAS DRAGON FLY2	
thickness	length
1.6	10
attachment material	
BRASS + RODIUM PLATED (Nickel free)	



**FAB1610-48**

FASHION BANANAS DRAGON FLY1	
thickness	length
1.6	10
attachment material	
BRASS + RODIUM PLATED (Nickel free)	

# STEEL - BANANAS



**FAB1610-49**

FASHION BANANAS BUTTERFLY3	
thickness	length
1.6	10
attachment material	
BRASS + RODIUM PLATED (Nickel free)	



**FAB1610-52**

FASHION BANANAS CUBIC BANANA, FLOWER1	
thickness	length
1.6	10
attachment material	
BRASS + RODIUM PLATED (Nickel free)	



**FAB58**

FASHION BANANAS mod. 58	
thickness	length
1.6	10
attachment material	
STAINLESS STEEL	
stones: CR	



**FAB63**

FASHION BANANAS mod. 63	
thickness	length
1.6	10
attachment material	
STAINLESS STEEL	
stones: CR	



**FAB1610-50**

FASHION BANANAS CUBIC BANANA, BUTTERFLY1	
thickness	length
1.6	10
attachment material	
BRASS + RODIUM PLATED (Nickel free)	



**FAB1610-53**

FASHION BANANAS CUBIC FLOWER 1	
thickness	length
1.6	10
attachment material	
BRASS + RODIUM PLATED (Nickel free)	



**FAB61**

FASHION BANANAS mod. 61	
thickness	length
1.6	10
attachment material	
STAINLESS STEEL	
stones: CR, LR	



**FAB68**

FASHION BANANAS mod. 68	
thickness	length
1.6	10
attachment material	
STAINLESS STEEL	
stones: CR	



**FAB1610-51**

FASHION BANANAS CUBIC BANANA, BUTTERFLY2	
thickness	length
1.6	10
attachment material	
BRASS + RODIUM PLATED (Nickel free)	



**FAB57**

FASHION BANANAS mod. 57	
thickness	length
1.6	10
attachment material	
STAINLESS STEEL	
stones: CR, LR	



**FAB62**

FASHION BANANAS mod. 62	
thickness	length
1.6	10
attachment material	
STAINLESS STEEL	
stones: CR	



**FAB26**

FASHION BANANAS mod. 26	
thickness	length
1.6	10
attachment material	
STAINLESS STEEL	
stones: LR, AQ	



**FAB27**

FASHION BANANAS mod. 27	
thickness	length
1.6	10
attachment material	
STAINLESS STEEL	
stones: AQ, AM	



**FAB28**

FASHION BANANAS mod. 28	
thickness	length
1.6	10
attachment material	
STAINLESS STEEL	
stones: AB, LR	





**FAB66**

FASHION BANANAS mod. 66	
thickness	length
1.6	10
attachment material	
STAINLESS STEEL	
stones: LAV, LR	



**FAB75**

FASHION BANANAS mod. 75	
thickness	length
1.6	10
attachment material	
STAINLESS STEEL	
stones: AB, CR, RO	




**FAB81**

FASHION BANANAS mod. 81	
thickness	length
1.6	10
attachment material	
STAINLESS STEEL	
stones: CR	



**FAB83**

FASHION BANANAS mod. 83	
thickness	length
1.6	10
attachment material	
STAINLESS STEEL	
stones: AQ, CR, LR	



**FAB79**

FASHION BANANAS mod. 79	
thickness	length
1.6	10
attachment material	
STAINLESS STEEL	
stones: LR	



**FAB84**

FASHION BANANAS mod. 84	
thickness	length
1.6	10
attachment material	
STAINLESS STEEL	
stones: AQ, CR, LR	



**FAB85**

FASHION BANANAS mod. 85	
thickness	length
1.6	10
attachment material	
STAINLESS STEEL	
stones: CR, RO, LAM	



**FAB87**

FASHION BANANAS mod. 87	
thickness	length
1.6	10
attachment material	
STAINLESS STEEL	
stones: CR, RO, SI	



**FAB80**

FASHION BANANAS mod. 80	
thickness	length
1.6	10
attachment material	
STAINLESS STEEL	
stones: LSA, LR	



**FAB88**

FASHION BANANAS mod. 88	
thickness	length
1.6	10
attachment material	
STAINLESS STEEL	
stones: AQ, CR, FU	



**FAB89**

FASHION BANANAS mod. 89	
thickness	length
1.6	10
attachment material	
STAINLESS STEEL	
stones: CR, RO, SA	



**FAB90**

FASHION BANANAS mod. 90	
thickness	length
1.6	10
attachment material	
STAINLESS STEEL	
stones: SI, IP	



# STEEL - BANANAS



**GDBAN**

GD 316 BANANABELLS		
thickness	length	ball
1.6	6, 8, 10, 12	3&3, 4&4, 5&5



**GDBANBRO**

GD 316 8mm ROUND SYN OPAL BANANAS	
thickness	length
1.6	10
opal: BK, LGR, PI, RE, SA, WH	



**GDBANDJ**

GD 316 8mm DOUBLE JEWEL NAVEL BARBELLS		
thickness	length	ball
1.6	8, 10, 12	5&8
stones: AB, AQ, BZ, CR, LR, PE, SA		



**GDBANJ**

GD 316 8mm JEWEL NAVEL BARBELLS		
thickness	length	ball
1.6	8, 10, 12	5&8
stones: AB, AQ, BZ, CR, LR, PE, SA		



**GDBJX05**

GD 316 DOUBLE JEW PRONG SETTING BANANA	
thickness	length
1.6	10
stones: CR	



**GDBZD29**

GD 316 JEWEL BANANA WITH DANGLES mod. 29	
thickness	length
1.6	10
stones: WH	



**GDBZD37**

GD 316 JEWEL BANANA WITH DANGLES mod. 37	
thickness	length
1.6	10
stones: WH	



**GDBZD41**

GD 316 JEWEL BANANA WITH DANGLES mod. 41	
thickness	length
1.6	10
stones: WH	



**GDBZHE08**

GD 316 BANANA WITH 8mm HEART PRONG SET	
thickness	length
1.6	10
stones: WH	





**GDBZRD08**

GD 316 BANANA WITH 8mm PRONG SET JEWEL	
thickness	length
1.6	10
stones: WH, PI	



**GDBZSD08**

BANANA WITH 8mm PRONG SET JEWEL	
thickness	length
1.6	10
stones: WH	



**GDBZX19**

GD 316 JEWEL BANANA TRIBAL BELLY mod. 19	
thickness	length
1.6	10
stones: WH	



**GDBZX20**

GD 316 JEWEL BANANA TAPPERED BAGUETTE	
thickness	length
1.6	10
stones: WH	



**GDBZX21**

GD 316 JEWEL BANANA TRIBAL BELLY mod. 21	
thickness	length
1.6	10
stones: WH	



**GDBZX22**

GD 316 JEWEL BANANA TRIBAL BELLY mod. 22	
thickness	length
1.6	10
stones: WH	



**GDBZX23**

GD 316 JEWEL BANANA TRIBAL BELLY mod. 23	
thickness	length
1.6	10
stones: WH	



**GDBZX24**

GD 316 JEWEL BANANA NORDIC STAR	
thickness	length
1.6	10
stones: WH	



**GDBZX25**

GD 316 JEWEL BANANA TAPPERED BAGUETTE CLUSTER	
thickness	length
1.6	10
stones: WH	



# STEEL - BANANAS



**GDBZD26**

GD 316 JEWEL BANANA SOLITAIRE ROUND SETTING	
thickness	length
1.6	10
stones: WH	



WH



**GDBZD27**

GD 316 JEWEL BANANA TRIBAL BELLY mod. 27	
thickness	length
1.6	10
stones: WH	



WH



**GDBZD28**

GD 316 JEWEL BANANA MARQUISE CLUSTER	
thickness	length
1.6	10
stones: WH	



WH



**GDBZD31**

GD 316 JEWEL BANANA BINDI STYLE	
thickness	length
1.6	10
stones: WH	



WH



**GDBZXOP01**

GD 316 OPAL BANANAS mod. 01	
thickness	length
1.6	10
opal: WH	



WH



**GDBZXOP02**

GD 316 OPAL BANANAS mod. 02	
thickness	length
1.6	10
opal: WH	



WH



**GDBZXOP03**

GD 316 OPAL BANANAS mod. 03	
thickness	length
1.6	10
opal: WH	



WH



**GDBZXOP04**

GD 316 OPAL BANANAS mod. 04	
thickness	length
1.6	10
opal: WH	



WH



**GDNBAN**

GD 316 NAVEL BANANABELLS		
thickness	length	ball
1.6	6, 8, 10, 12	4&6, 5&8



**GDSBASDJ**

GD 316 6mm DOUBLE JEWEL NAVEL BARBELLS		
thickness	length	ball
1.6	10	4&6
stones: AB, AQ, BZ, CR, LR, PE, SA		



**GDSBASJ**

GD 316 6mm JEWEL NAVEL BARBELLS		
thickness	length	ball
1.6	8, 10	4&6
stones: AB, AQ, BZ, CR, LR, PE, SA		



**GDBZDS01**

GD 316 MINI DOUBLE JEWEL BELLY BANANAS W/DANGLES mod. 01	
thickness	length
1.6	10
stones: BK, WH	



**GDBZDS03**

GD 316 MINI DOUBLE JEWEL BELLY BANANAS W/DANGLES mod. 03	
thickness	length
1.6	10
stones: BK, WH	



**GDBZDS04**

GD 316 MINI DOUBLE JEWEL BELLY BANANAS W/DANGLES mod. 04	
thickness	length
1.6	10
stones: BK, WH	



**GDBZDS05**

GD 316 MINI DOUBLE JEWEL BELLY BANANAS W/DANGLES mod. 05	
thickness	length
1.6	10
stones: BK, WH	



**KBAN**

BK 316 NAVEL BARBELLS		
thickness	length	ball
1.6	6, 8, 10, 12	3&3, 4&4, 5&5



**KBANBRO**

BK 316 8mm ROUND SYN OPAL BANANAS	
thickness	length
1.6	10
opal: BK, LGR, PI, RE, SA, WH	



**KBANDJ**

BK 316 8mm DOUBLE JEWEL NAVEL BARBELLS		
thickness	length	ball
1.6	8, 10, 12	5&8
stones: AB, AQ, BZ, CR, LR, PE, SA		



# STEEL - BANANAS



## KBANJ

BK 316 8mm JEWEL NAVEL BARBELLS		
thickness	length	ball
1.6	8, 10, 12	5&8
stones: AB, AQ, BZ, CR, LR, PE, SA, FU		



## KBZRD08

BK 316 BANANA WITH 8mm PRONG SET JEWEL	
thickness	length
1.6	10
stones: WH, PI	



## KNBAN

BK 316 NAVEL BARBELLS		
thickness	length	ball
1.6	6, 8, 10, 12	4&6, 5&8



## RGBAN

RG 316 BANANABELLS		
thickness	length	ball
1.6	6, 8, 10	3&3, 4&4, 5&5



## RGBANJ

RG 316 8mm JEWEL NAVEL BARBELLS		
thickness	length	ball
1.6	8, 10	5&8
stones: AB, AQ, CR, LR		



## RGBANDJ

RG 316 8mm DOUBLE JEWEL NAVEL BARBELLS		
thickness	length	ball
1.6	8, 10	5&8
stones: AB, AQ, CR, LR		



## RGBJX05

RG 316 DOUBLE JEW PRONG SETTING BANANA	
thickness	length
1.6	10
stones: CR	



## RGNBAN

RG 316 NAVEL BANANABELLS		
thickness	length	ball
1.6	6, 8, 10, 12	4&6, 5&8



**SBAN**

NAVEL BARBELLS		
thickness	length	ball
1.6	6, 8, 10, 12, 14	3&3, 4&4, 5&5



**SNBAN**

NAVEL BARBELLS		
thickness	length	ball
1.6	6, 8, 10, 12	4&6, 5&8



**SBANI**

NAVEL BARBELLS INTERNAL		
thickness	length	ball
2	11, 13	5
2.4, 3.2	12, 14	6
4, 5	16	8



**SBAN2C**

NAVEL BARBELLS W/CONES		
thickness	length	base
1.6	6, 8, 10, 12	3
1.6	8, 10, 12	4



**SBANAB**

GLASS BALL BANANAS	
thickness	length
1.6	8, 10

model: B, C, D, F

Mod. C



Mod. B Mod. D Mod. F



**SBANBRO**

8mm ROUND SYN OPAL BANANAS	
thickness	length
1.6	8, 10

opal: BK, LGR, PI, RE, SA, WH



BK LGR PI RE SA WH



**SBANCA**

8mm CABACHON NAVEL BARBELLS	
thickness	length
1.6	8, 10, 12

stones: SA, GM, AM, LAM



SA GM AM LAM



**SBANCB**

8mm CRYSTAL BALLS NAVEL BANANABELLS		
thickness	length	ball
1.6	8, 10	5&8

stones: AB, AQ, BZ, CR, LR, SA



AB AQ CR LR SA BZ



**SBANDJ**

8mm DOUBLE JEWEL NAVEL BARBELLS		
thickness	length	ball
1.6	8, 10, 12	5&8

stones: AB, AQ, BZ, CR, LR, PE, SA



AB AQ CR LR SA PE BZ

# STEEL - BANANAS



**SBANJ**

8mm JEWEL NAVEL BARBELLS		
thickness	length	ball
1.6	8, 10, 12	5&8

stones: AB, AQ, BZ, CR, LR, PE, SA, FU



**SBANJD**

INVERTED BELLY BANANA	
thickness	length
1.6	8, 10

stones: CR, LR



**SBANRO**

6mm ROUND SYN OPAL BANANAS	
thickness	length
1.6	8, 10

opal: BK, LGR, PI, RE, SA, WH



**SBASJ**

6mm JEWEL NAVEL BARBELLS		
thickness	length	ball
1.6	8, 10, 12	4&6

stones: AB, AQ, BZ, FU, CR, LR, SA, PE



**SBEOP**

8mm OPAL BANANABELLS		
thickness	length	ball
1.6	8, 10, 12	5&8

opal: BK, LGR, PI, RE, SA, WH



**SBASDJ**

6mm DOUBLE JEWEL NAVEL BARBELLS		
thickness	length	ball
1.6	8, 10, 12	4&6

stones: AB, AQ, BZ, FU, CR, LR, SA, PE



**SBEDOP**

8mm DOUBLE OPAL BANANABELLS		
thickness	length	ball
1.6	8, 10, 12	5&8

opal: BK, LGR, PI, RE, SA, WH





**SBZD19**

SS 316 JEWEL BANANA WITH DANGLES mod. 19	
thickness	length
1.6	10
stones: WH	



WH



**SBZD29**

SS 316 JEWEL BANANA WITH DANGLES mod. 29	
thickness	length
1.6	10
stones: WH	



WH



**SBZD32**

SS 316 JEWEL BANANA WITH DANGLES mod. 32	
thickness	length
1.6	10
stones: WH	



WH



**SBZD37**

SS 316 JEWEL BANANA WITH DANGLES mod. 37	
thickness	length
1.6	10
stones: WH	



WH



**SBZD39**

SS 316 JEWEL BANANA WITH DANGLES mod. 39	
thickness	length
1.6	10
stones: WH	



WH



**SBZD41**

SS 316 JEWEL BANANA WITH DANGLES mod. 41	
thickness	length
1.6	10
stones: WH	



WH



**SBJX01**

SS 316 DOUBLE JEWEL TRIBAL BANANA	
thickness	length
1.6	10
stones: CR	



CR



**SBJX05**

SS 316 DOUBLE JEW PRONG SETTING BANANA	
thickness	length
1.6	10
stones: CR	



CR



**SBZHE08**

SS 316 BANANA WITH 8mm HEART PRONG SET	
thickness	length
1.6	10
stones: WH	



WH

# STEEL - BANANAS



**SBZRD08**

SS 316 BANANA WITH 8mm PRONG SET JEWEL	
thickness	length
1.6	10
stones: WH, PI	



**SBZSD08**

SS 316 BANANA WITH 8mm PRONG SET JEWEL	
thickness	length
1.6	10
stones: WH	



**SBZX08**

SS 316 JEWEL BANANA FLOWER STAR	
thickness	length
1.6	10
stones: WH	



**SBZX13**

SS 316 JEWEL BANANA SKULL	
thickness	length
1.6	10
stones: WH	



**SBZX19**

SS 316 JEWEL BANANA TRIBAL BELLY mod. 19	
thickness	length
1.6	10
stones: WH	



**SBZX20**

SS 316 JEWEL BANANA TAPPED BAGUETTE	
thickness	length
1.6	10
stones: WH	



**SBZX21**

SS 316 JEWEL BANANA TRIBAL BELLY mod. 21	
thickness	length
1.6	10
stones: WH	



**SBZX22**

SS 316 JEWEL BANANA TRIBAL BELLY mod. 22	
thickness	length
1.6	10
stones: WH	



**SBZX23**

SS 316 JEWEL BANANA TRIBAL BELLY mod. 23	
thickness	length
1.6	10
stones: WH	





**SBZX24**

SS 316 JEWEL BANANA NORDIC STAR	
thickness	length
1.6	10
stones: WH	



WH



**SBZX26**

SS 316 JEWEL BANANA SOLITAIRE ROUND SETTING	
thickness	length
1.6	10
stones: WH	



WH



**SBZX27**

SS 316 JEWEL BANANA TRIBAL BELLY mod. 27	
thickness	length
1.6	10
stones: WH	



WH



**SBZX28**

SS 316 JEWEL BANANA MARQUISE CLUSTER	
thickness	length
1.6	10
stones: WH	



WH



**SBZX31**

SS 316 JEWEL BANANA BINDI STYLE	
thickness	length
1.6	10
stones: WH	



WH



**SBZXOP01**

SS 316 OPAL BANANAS mod. 01	
thickness	length
1.6	10
opal: WH	



WH



**SBZXOP02**

SS 316 OPAL BANANAS mod. 02	
thickness	length
1.6	10
opal: WH	



WH



**SBZXOP04**

SS 316 OPAL BANANAS mod. 04	
thickness	length
1.6	10
opal: WH	



WH



**SPRODJ**

SS 316 BANANA WITH 8mm PRONG SET DOUBLE JEWEL	
thickness	length
1.6	10
stones: WH, PI	



WH PI



## SBZDS01



SS 316 MINI DOUBLE JEWEL BELLY  
BANANAS W/DANGLES mod. 01

thickness	length
1.6	10

stones: BK, WH



BK WH



## SBZDS03



SS 316 MINI DOUBLE JEWEL BELLY  
BANANAS W/DANGLES mod. 03

thickness	length
1.6	10

stones: BK, WH



BK WH



## SBZDS04



SS 316 MINI DOUBLE JEWEL BELLY  
BANANAS W/DANGLES mod. 04

thickness	length
1.6	10

stones: BK, WH



BK WH



## SBZDS05



SS 316 MINI DOUBLE JEWEL BELLY  
BANANAS W/DANGLES mod. 05

thickness	length
1.6	10

stones: BK, WH



BK WH



## GDLAB

GD 316 LABRETS		
thickness	length	ball
1.2	6, 8, 10, 12	2.5, 3
1.6	6, 8, 10, 12	3, 4



## GDLAB1J

GD 316 JEWELLED LABRET		
thickness	length	ball
1.2	6, 8, 10	2.5, 3

stones: AB, AQ, CR, LR



## KLAB

BK 316 LABRETS		
thickness	length	ball
1.2	6, 8, 10, 12	2.5, 3
1.6	6, 8, 10, 12	3, 4



## KLAB1C

BK 316 LABRETS W/CONE		
thickness	length	base
1.2	6, 8, 10, 12	2.5



## KLAB1J

BK 316 JEWELLED LABRETS		
thickness	length	ball
1.2	6, 8, 10	2.5, 3

stones: AB, AQ, CR, LR



## RGLAB

RG 316 LABRET		
thickness	length	ball
1.2	6, 8, 10	2.5, 3
1.2	12	3
1.6	6, 8, 10	3, 4



## RGLAB1J

BK 316 JEWELLED LABRETS		
thickness	length	ball
1.2	6, 8, 10	2.5, 3

stones: AB, AQ, CR, LR



## SLAB

LABRETS		
thickness	length	ball
1.2	5, 6, 7, 8, 9, 10, 12	2.0, 2.5
1.2	6, 7, 8, 9, 10, 11, 12	3
1.6	6, 7, 8, 9, 10, 12	3, 4
1.6	11	4
1.6	10	5



## SLAB1C

LABRETS W/CONE		
thickness	length	base
1.2	5, 6, 7, 8, 9, 10, 12	2.5, 3.0, 4
1.6	6, 7, 8, 9, 10, 12	4



## SLABJ

JEWELLED LABRET		
thickness	length	ball
1.2	5, 6, 8, 10	2.5, 3

stones: AB, AQ, BZ, CR, LR, PE, SA

stones: FU (only for 2.5mm)



## SLABOP

OPAL LABRETS	
thickness	length
1.2	6, 8, 10

opal: BK, PI, RE, SA, WH



# STEEL - NOSE



## GDNSB

GD 316 CURVED NOSE STUD	
thickness	ball
0.8	1.5, 2.0



## GDNSNJ

GD 316 JEWELLED NOSE STUD BENT	
thickness	ball
0.8	2.35
stones: AB, AQ, LR, CR	



## GDNSTD

GD 316 NOSE STUDS W/DISC	
thickness	disc
0.8	2.0



## GDNTZ

GD 316 NOSESTUD ZIRCONIA SETTING	
thickness	head
0.8	2.0
stones: CR	



## GDONR

GD 316 OPEN NOSE RINGS	
thickness	diameter
0.8	7, 8, 9
1.0	7, 8, 9



## GNSZC-CR

GD 316 TRINITY NOSE STUD	
thickness	head
0.8	3.5
stones: CR	



## KNSB

BK 316 CURVED NOSE STUD	
thickness	ball
0.8	1.5, 2.0



## KNSNJ

BK 316 JEWELLED NOSE STUD BENT	
thickness	ball
0.8	2.35
stones: AB, AQ, LR, CR	



## KNSTD

BK 316 NOSE STUD WITH DISC	
thickness	disc
0.8	2.0



**KONR**

BK 316 OPEN NOSE RINGS	
thickness	diameter
0.8	7, 8, 9
1.0	7, 8, 9



**RGNSB**

RG 316 CURVED NOSE STUD	
thickness	ball
0.8	1.5, 2.0



**RGNSNJ**

RG 316 JEWELLED NOSE STUD BENT	
thickness	ball
0.8	2.35

stones: AB, AQ, LR, CR



**RGNSZC-CR**

RG 316 TRINITY NOSE STUD	
thickness	head
0.8	3.5

stones: CR



**RGNTZ-CR**

RG 316 NOSESTUD ZIRCONIA SETTING	
thickness	head
0.8	2.0

stones: CR



**RGONR**

RG 316 OPEN NOSE RINGS	
thickness	diameter
0.8	7, 8, 9
1.0	7, 8, 9



**SNB**

NOSE BONE	
thickness	head
0.8	1.5



**SNBJ**

JEWEL NOSE BONE	
thickness	head
0.8	2.35

stones: AB, AQ, LR, CR, SA, PE, BZ, FU



**SNBOP-24**

OPAL NOSESTUDS CURVED mod. 24	
thickness	
0.8	

opal: BK, LGR, PI, RE, SA, WH



# STEEL - NOSE



**SNBOP-25**

OPAL NOSESTUDS CURVED mod. 25	
thickness	
0.8	
opal: BK, LGR, PI, RE, SA, WH	



**SNBOP-26**

OPAL NOSESTUDS CURVED mod. 26	
thickness	
0.8	
opal: BK, LGR, PI, RE, SA, WH	



**SNBOP-27**

OPAL NOSESTUDS CURVED mod. 27	
thickness	
0.8	
opal: BK, LGR, PI, RE, SA, WH	



**SNSB**

NOSE STUDS, BENT	
thickness	ball
0.8	1.5, 2.0
1.0	2.0



**SNSNJ**

JEWEL NOSE STUDS BENT	
thickness	ball
0.8	2.35
stones: AB, AQ, LR, CR, SA, PE, BZ	



**SNSOPC**

OPAL NOSESTUDS CURVED	
thickness	
0.8	
opal: BK, LGR, PI, RE, SA, WH	



**SNSS**

NOSE STUDS, STRAIGHT	
thickness	
1.0	



**SNSSJ**

JEWEL NOSE STUDS, STRAIGHT	
thickness	
1.0	
stones: AB, AQ, LR, CR, SA, PE, BZ, FU	



**SNSTD**

NOSE STUDS W/DISC	
thickness	disc
0.8	2.0



**SNSZC**

TRINITY CURVED NOSE STUD	
thickness	head
0.8	3.5
stones: CR	



CR



**SNSZ**

TRINITY BONES NOSE STUD	
thickness	head
0.8	2.0
stones: CR	



CR



**SNTZ**

NOSESTUD ZIRCONIA SETTING	
thickness	
0.8	
stones: CR	



CR



**SONR**

OPEN NOSE RINGS	
thickness	diameter
0.8	7, 8, 9
1.0	7, 8, 9

# STEEL - BARBELLS

## SBBL



BARBELLS		
thickness	length	ball
1.2	6, 7, 8, 9, 10, 12	2.5, 3
1.2	14	3
1.6	16, 18, 20	3
1.6	6, 8, 10, 12, 14, 16	4
1.6	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22	5
1.6	20, 22, 24, 30, 40	6
2.0	8, 10, 12, 14, 16, 18, 20, 22	5
2.4	10, 12, 14, 20	5
2.4	16, 18	6
3.2	10	5
3.2	12, 14, 16, 18, 20	6
4.0	10	6
4.0	12, 14, 16, 18	8



## SBBLI

BARBELLS INTERNAL	
thickness	length
5, 6, 8	10, 12, 14, 16



## KBBLI

BK 316 INTERNAL BARBELLS	
thickness	length
5, 6, 8	14, 18



## KMBBL

BK 316 MICRO JEWELLED BARBELLS		
thickness	length	ball
1.2	5	2.5



## RGBBL

RG 316 BARBELLS		
thickness	length	ball
1.2	6, 8, 10	2.5, 3, 4
1.6	12, 14, 16, 18	5

## KBBL



BK 316 BARBELLS		
thickness	length	ball
1.2	6, 8, 10	2.5, 3
1.2	12	3
1.6	6, 8, 10, 12	4
1.6	14, 16, 18, 20, 22	5
1.6	24	6
2.0	10, 12, 14, 16	5
2.4	10, 12, 14	5
2.4	16	6
3.2	10, 12	5
3.2	14, 16	6
4.0	10, 12	6
4.0	14, 16	8



## SBBL1C

BARBELLS W/CONE		
thickness	length	ball/base
1.2	6, 8, 10	3



## GDBBL

GD 316 BARBELLS		
thickness	length	ball
1.2	6, 8, 10	2.5, 3, 4
1.6	6, 8, 10, 12	4
1.6	14, 16, 18, 20, 22	5
1.6	24	6



## SBBL2C

BARBELLS W/CONES		
thickness	length	base
1.2	6, 8, 10	2.5, 3
1.6	10, 12, 14	4

## GMBBL


GD 316 MICRO JEWELLED BARBELLS		
thickness	length	ball
1.2	5	2.5





**SBBLOB**

CRYSTAL DOUBLE ORBIT BALLS	
thickness	length
1.6	12, 14, 16
stones: AB, AQ, BZ, CR, LR, LSI, SA	



**SFMBBL**

FANCY MICRO BARBELLS		
thickness	length	model
1.2	7	15, 22, 24, 27, 28

15



22

24

27



28




**SHTRJD-L**

JEWELLED HELIX 5 DISC (LEFT)		
thickness	length	disc
1.2	6	3/4/5/6
stones: AB, CR		



**SHTRJD-R**

JEWELLED HELIX 5 DISC (RIGHT)		
thickness	length	disc
1.2	6	3/4/5/6
stones: AB, CR		



**SHX50P**

JEWELLED 5 HELIX BARBELL		
thickness	length	ball
1.2	6	2/2.5/3/2.5/2
opal: BK, LGR, PI, RE, SA, WH		



**SSPL16**

SS 316 SPIRAL LIplet	
thickness	ball
1.6	5



**SHX30P**

JEWELLED 3 HELIX BARBELL		
thickness	length	ball
1.2	6	2.5/3/2.5
opal: BK, LGR, PI, SA, WH		



**SSPS16**

SS 316 SPIRAL S	
thickness	ball
1.6	5

# STEEL - BARBELLS



## STRZ

TRAGUS BARBELLS	
thickness	length
1.2	6
stones: WH	



## SSPX16

SS 316 SPIRAL X	
thickness	ball
1.6	5



## STRCZ

TRIPLE CUBIC ZIRCONIA		
thickness	length	head
1.2	6	4
stones: BK, CR		



## STRJD3

JEWELLED 3 FLAT DISC		
thickness	length	ball
1.2	6	3
stones: AB, AQ, BZ, CR, RE, SA, BK		



## SZHXB3

ZIRCONIA HELIX BARBELLS		
thickness	length	ball
1.2	6	2.5/3/2.5
stones: CR		



## SZHXB5

ZIRCONIA HELIX BARBELLS		
thickness	length	ball
1.2	6	2/2.5/3/2.5/2
stones: CR		





### GDSBE

GD 316 SCREW-ON BALLS	
thickness	ball
1.2	2, 2.5, 3, 4
1.6	3, 4, 5, 6



### GDSBECB


GD 316 EXPORY COVERED BALL	
thickness	ball
1.2	3, 4
1.6	5

stones: AB, AQ, CR, LR, SA, PE, RE, BZ



### GDSBEJ


GD 316 JEWELLED SCREW-ON BALLS	
thickness	ball
1.2	2, 5
stones: AB, AQ, CR, LR	
1.2	3
stones: AB, AQ, CR, LR, SA, PE, BZ	
1.6	4, 5
stones: AB, AQ, CR, LR	



### GDSBE0B

GD 316 CRYSTAL ORBIT BALLS	
thickness	ball
1.2	4
1.6	5, 6

stones: AB, AQ, CR, LR



### KBSBT

BK 316 MICRO TIFFANY BALLS	
thickness	ball
1.2	2.5, 3
1.6	4, 5, 6

stones: AB, AQ, CR, LR, SA, PE, BZ, FU



### KCNE

BK 316 CONES	
thickness	base
1.2	3
1.6	3, 4, 5



### KSBE

BK 316 SCREW-ON BALLS	
thickness	ball
1.2	2, 2.5, 3, 4
1.6	3, 4, 5, 6



### KSBE0B

BK 316 EXPORY COVERED BALL	
thickness	ball
1.2	3, 4
1.6	5

stones: AB, AQ, CR, LR, SA, PE, BZ, RE



### KSBEJ

BK 316 JEWEL SCREW-ON BALLS	
thickness	ball
1.2	2.5, 3
1.6	4, 5

stones: AB, AQ, CR, LR, SA, PE, BZ, FU




# STEEL - ATTACHMENTS



## KSBEOB

BK 316 CRYSTAL ORBIT BALLS	
thickness	ball
1.2	4
1.6	5, 6
stones: AB, AQ, CR, LR, AM	




## RGSBE

RG 316 SCREW-ON BALLS	
thickness	ball
1.2	2, 2.5, 3, 4
1.6	3, 4, 5, 6



## RGSBEJ

RG 316 JEWELLED SCREW-ON BALLS	
thickness	ball
1.2	2.5, 3, 4
1.6	3, 4, 5, 6
stones: AB, AQ, CR, LR	



## RGSBEOB

RG 316 CRYSTAL ORBIT BALLS	
thickness	ball
1.2	4
1.6	5, 6
stones: AB, AQ, CR, LR, AM	



## SB CDJ3

JEWELLED DISC FOR BCR 3mm	
ball	
3	
stones: AB, AQ, BZ, CR, FU, LR, PE, SA	



## SCB

CLIP-IN BALLS	
ball	
3, 4, 5, 6	



## SCBJ

JEWEL CLIP-IN BALLS	
ball	
4, 5, 6	
stones: AB, AQ, BZ, CR, FU, LR, PE, SA	



## SCNE

SCREW-ON CONES	
thickness	base
1.2	2.5, 3, 4
1.6	3, 4, 5



## SLZG

SCREW-ON LOZENGES	
thickness	
1.2, 1.6	



**SRS PK**

SCREW-ON ROUND SPIKE	
thickness	base
1.2, 1.6	5



**SSBE**

SCREW-ON BALLS	
thickness	ball
1.2	2, 2.5, 3, 4
1.6	3, 4, 5, 6, 8



**SSBE90J**

JEWELLED SCREW-ON BALLS 90°	
thickness	ball
1.6	4

stones: AB, AQ, CR, LR, SA, PE, BZ, RE



**SSBECB**

EXPORY COVERED BALL	
thickness	ball
1.2	3, 4
1.6	5


stones: AB, AQ, CR, LR, SA, PE, BZ, RE



**SSBECC**

EXPORY COVER CRYSTAL BALLS	
thickness	ball
1.2	3, 4
1.6	4, 5, 6, 8

stones: AB, AQ, CR, LR, SA, PE, BZ



**SSBEJ**

JEWEL SCREW-ON BALLS	
thickness	ball
1.2	2.5, 3B
1.6	3B, 4, 4B, 5, 5B, 6B

stones: AB, AQ, BK, CR, LR, SA, PE, BZ, RE, LTU, FU, PU




BIG CRYSTAL (B)



**SSBEOB**

CRYSTAL ORBIT BALLS	
thickness	ball
1.2	4
1.6	4, 5, 6

stones: AB, AM, AQ, BZ, CR, FU, LR, LSI, PE, SA



**SSBEOP**

OPAL SCREW-ON BALLS	
thickness	ball
1.2	3

opal: BK, PI, RE, SA, WH



**SSPK**

SCREW-ON SPIKES		
thickness	length	base
1.2, 1.6	10	3
1.2, 1.6	16	4

# STEEL - EYEBROW



## GDBBC

GD 316 CURVED EYEBROW BARBELLS		
thickness	length	ball
1.2	6, 7, 8, 9, 10, 12	2.5, 3



## GDEBZRD

GD 316 JEWELLED EYEBROW BARBELLS		
thickness	length	ball
1.2	8	2, 3
stones: WH		



WH



## KBBC

BK 316 CURVED EYEBROW BARBELLS		
thickness	length	ball
1.2	6, 7, 8, 9, 10, 12	2.5, 3



## KBBC2C

BK 316 CURVED EYEBROW BARBELLS W/CONES		
thickness	length	base
1.2	6, 8, 10	2.5



## RGBBC

RG 316 EYEBROW BANANABELLS		
thickness	length	ball
1.2	6, 7, 8, 9, 10	2.5, 3
1.2	12	3



## SBBC1C

CURVED EYEBROW BARBELLS W/CONE		
thickness	length	ball/base
1.2	6, 8, 10	3



## SBB1J

SINGLE JEWELLED EYEBROW BANANAS		
thickness	length	ball
1.2	6, 8, 10	2.5, 3
stones: AB, AQ, BZ, CR, LR, PE, SA, FU		



AB AQ BZ CR LR SA PE FU



## SBBC

CURVED EYEBROW BARBELLS		
thickness	length	ball
1.2	6, 7, 8, 9, 10, 11, 12	2.5, 3



## SBBC2C

CURVED EYEBROW BARBELLS W/CONES		
thickness	length	base
1.2	6, 7, 8, 9, 10	2.5
1.2	6, 8, 10	3



**SBBCOP**

OPAL EYEBROW BANANABELLS	
thickness	length
1.2	6, 8, 10
opal: BK, PI, RE, SA, WH	




BK PI RE SA WH



**SEBZRD**

STEEL JEWELLED EYEBROW BARBELLS		
thickness	length	ball
1.2	8	2, 3
stones: BK, PI, WH		



BK PI WH



**SER**

SS 316 EYEBROW RETAINERS
thickness
1.2

# STEEL - INTERNAL



## GDLABI

GD 316 int LABRETS PART	
thickness	length
1.2	6, 7, 8, 9, 10



## GDSDJ

GD 316 int JEWELLED BALL	
thickness	ball
1.2	2.35

stones: AB, AQ, BZ, CR, FU, LR, PE, SA



## GSTIR

GD 316 int BARBELLS PART		
thickness	length	ball
1.2	5, 7, 8, 9, 10, 12	2.5



## GITMA

GD 316 int ATTACHMENT	
thickness	model
1.2	1, 5, 14, 15, 19, 22, 28, 30, 34, 35, 41, 42, 43L, 45L, 46, 48

1



## GITMAA

GD 316 int ATTACHMENT	
thickness	model
1.2	2, 3, 4L, 4R, 5, 6, 8L, 10L, 18, 19L, 20L, 21L, 22, 39L, 40, 44L, 45L, 46, 49, 50

stones: WH

50



## GITMAA-01

GD 316 int ATTACHMENT model 01	
thickness	size
1.2	2.5, 3.5

stones: WH





**GDBIONSG-01**

GD 316 int ROOK BANANA mod. 01	
thickness	length
1.2	7



**GDBIONSG-02**

GD 316 int ROOK BANANA mod. 02	
thickness	length
1.2	7



**GDBIONSG-03**

GD 316 int ROOK BANANA mod. 03	
thickness	length
1.2	7



**GDBIONSG-04**

GD 316 int ROOK BANANA mod. 04	
thickness	length
1.2	7



**KITMAA**

BK 316 int ATTACHMENT mod. 01	
thickness	size
1.2	2.5, 3.5
stones: WH	




**RGITMAA**

RG 316 int ATTACHMENT mod. 01	
thickness	size
1.2	2.5, 3.5
stones: WH	



**SITMAT-26**

SS 316 int ATTACHMENT OPAL mod. 26	
thickness	model
1.2	26
opal: BK, BL, LGR, PI, RE, WH	



**SITMAT-27**

SS 316 int ATTACHMENT OPAL mod. 27	
thickness	model
1.2	27
opal: BK, BL, LGR, PI, RE, WH	



**SLABI**

SS 316 int LABRETS PART	
thickness	length
1.2	5, 6, 7, 8, 9, 10, 12

# STEEL - INTERNAL



1

## SITMA

SS 316 int ATTACHMENT	
thickness	model
1.2	1, 5, 14, 15, 18, 19, 22, 23, 28, 30, 32, 34, 35, 41, 42, 43L, 45L, 46, 48



50

## SITMAA

SS 316 int ATTACHMENT	
thickness	model
1.2	2, 3, 4L, 4R, 5, 6, 8L, 9L, 10L, 18, 19L, 20L, 21L, 22, 39L, 40, 44L, 45L, 46, 49, 50

stones: WH  
WH



## SITMAA-01

SS 316 int ATTACHMENT model 01	
thickness	size
1.2	2.5, 3.5

stones: BK, MGR, PI, WH  
BK MGR PI WH



## SIANOP

SS 316 int OPAL TRINITY ATTACHMENT	
thickness	size
1.2	4

opal: BK, LGR, PI, RE, SA, WH  
BK LGR PI RE SA WH



## SIRS N

SS 316 BARBELLS PART		
thickness	length	ball
1.2	5, 7, 8, 9, 10, 12	2.5



## SITMAT-24

SS 316 int ATTACHMENT OPAL mod. 24	
thickness	model
1.2	24

opal: BK, BL, LGR, PI, RE, WH  
BK BL LGR PI RE WH



## SITMAT-25

SS 316 int ATTACHMENT OPAL mod. 25	
thickness	model
1.2	25

opal: BK, BL, LGR, PI, RE, WH  
BK BL LGR PI RE WH



**SSDJ**

SS 316 int JEWELLED BALL	
thickness	ball
1.2	2.35
stones: AB, AQ, CR, PE, SA	



**SBIONSG-01**



SS 316 int ROOK BANANA mod. 01	
thickness	length
1.2	7



**SBIONSG-02**



SS 316 int ROOK BANANA mod. 02	
thickness	length
1.2	7



**SBIONSG-03**




SS 316 int ROOK BANANA mod. 03	
thickness	length
1.2	7



**SBIONSG-04**



SS 316 int ROOK BANANA mod. 04	
thickness	length
1.2	7



## GCHO4014

GD 316 CRYSTAL HOOP (PAIR)		
size	thickness	diameter
4.0	0.8	14
stones: CR		



## GDRHZ-01

GD 316 HUGGIE HOOP EARRINGS PAVE SETTING (PAIR)	
thickness	diameter
0.8	8
stones: WH	



## GDRHZ-04

GD 316 HUGGIE HOOP FOR SECOND HOLE (PAIR)	
thickness	diameter
0.8	8
stones: WH	



02

## GDRHU

GD 316 HOOP EARRINGS (PAIR)	
thickness	diameter
0.8	10
model	
02, 03, 04, 05, 06, 07, 08, 09, 10	



03

04

05

06



07



08



09



10



## GRHE

GD 316 ROUND HOOP EARRINGS (PAIR)	
thickness	diameter
0.8	20, 30, 40, 50, 60



## GDERHOP-23

GD 316 OPAL EAR HOOPS SET (PAIR)	
thickness	diameter
0.8	10
opal: BK, PI, SA	



## GDRHZ-24

GD 316 HUGGIE HOOP PAVE SETTING 2 ROWS (PAIR)	
thickness	diameter
0.8	10
stone: WH	



## GDSSZEJ-KITE36

GD 316 V SHAPE EAR STUDS W. EAR JACKET SET (PAIR)	
thickness	
0.8	
stone: WH	





**KFPG**

BK 316 FAKE PLUGS		
thickness	length	fake
1.2	6	8, 10



**KRHE**

BK 316 ROUND HOOP EARRINGS (PAIR)	
thickness	diameter
0.8	20, 30, 40, 50, 60



**RGRHE**

RG 316 ROUND HOOP EARRINGS (PAIR)	
thickness	diameter
0.8	20, 30



**RGRHZ-01**

RG 316 HUGGIE HOOP EARRINGS PAVE SETTING (PAIR)	
thickness	diameter
0.8	8
stones: WH	



**RGRHZ-04**

RG 316 HUGGIE HOOP FOR SECOND HOLE (PAIR)	
thickness	diameter
0.8	8
stones: WH	



**RGSSZEJ-KITE36**



RG 316 V SHAPE EAR STUDS W. EAR JACKET SET (PAIR)	
thickness	diameter
0.8	
stone: WH	



**RGRHU**

RG 316 HOOP EARRINGS (PAIR)	
thickness	diameter
0.8	10
model	
04, 05, 06, 07, 08, 09, 10	



04



05

06

07

08

09

10



**RGRHZ-24**

RG 316 HUGGIE HOOP PAVE SETTING 2 ROWS (PAIR)	
thickness	diameter
0.8	10
stone: WH	



**RGANES**

RG 316 ANCHOR EAR STUS (PAIR)	
thickness	diameter
0.8	8



**SAFPG1206**

SS 316 ANCHOR FAKE PLUG (FAKE 8mm)	
thickness	length
1.2	6



1

**SBFC**

SS 316 FAKE CARTILAGE BCR	
model	
1, 2, 3	



2

3




**SBFC**

SS 316 FAKE CARTILAGE BCR W/BALL	
model	ball
1, 2, 3	3



2

3



## SCH04014

SS 316 CRYSTAL HOOP (PAIR)		
size	thickness	diameter
4.0	0.8	14
stones: CR		




## SCSER-WH

SS 316 CROSS STUD W/ MICROPAVE SETTING (PAIR)	
thickness	
0.8	
stones: WH	



## SFJDE

SS 316 FLAT JEWELLED DISC EAR STUDS (PAIR)	
thickness	disc
0.8	3
stones: AQ, CR, LR, SA	



## SFPG

SS 316 FAKE PLUGS		
thickness	length	fake
1.2	6	6, 8, 10



PI/WH

## SFWES

SS 316 FLOWER EAR STUDS W/ ZIRCONIA (PAIR)	
thickness	
0.8	
stones: CR, PI/WH, RE/PI	



CR

RE/PI



## SLBSMP-WH

SS 316 LONG BAR STUDS W/ MICROPAVE SETTING (PAIR)	
thickness	
0.8	
stones: WH	



## SOPER-WH/OP

SS 316 SYNTHETIC OPAL BALL EARSTUDS (PAIR)	
thickness	ball
0.8	3
opal: WH/OP	



## SRHE

SS 316 ROUND HOOP EARRINGS (PAIR)	
thickness	diameter
0.8	20, 30, 40, 50, 60



## SSBSMP-WH

SS 316 SHORT BAR STUDS W/ MICROPAVE SETTING (PAIR)	
thickness	
0.8	
stones: WH	





**SRHU**

SS 316 HOOP EARRINGS (PAIR)	
thickness	diameter
0.8	10
model	
02, 03, 04, 05, 06, 07, 08, 09, 10	

02



**SRHZ-01**

SS 316 HUGGIE HOOP EARRINGS PAVE SETTING (PAIR)	
thickness	diameter
0.8	8
stones: WH	



**SRHZ-24**

SS 316 HUGGIE HOOP PAVE SETTING 2 ROWS (PAIR)	
thickness	diameter
0.8	10
stone: WH	



**SRHZ-04**

SS 316 HUGGIE HOOP FOR SECOND HOLE (PAIR)	
thickness	diameter
0.8	8
stones: WH	



**SSSZEJ-KITE36**

SS 316 V SHAPE EAR STUDS W. EAR JACKET SET (PAIR)	
thickness	
0.8	
stone: WH	



**STBTF**

SS 316 EARSTUDS BUTTERFLY 50 pairs	
thickness	
0.8	

STUD **NOT INCLUDED**



**SERHOP-23**

SS 316 OPAL EAR HOOPS SET (PAIR)	
thickness	diameter
0.8	10
opal: BK, PI, SA	



**SMSPE**

SS 316 MINI SAFETY PIN EAR RINGS (PAIR)	
thickness	
0.8	



# STEEL - EXPANDERS



## KDYL

BK 316 DOUBLE FLARED EYELETS
thickness
4, 5, 6, 8, 10, 12, 14, 16, 18, 20



## KEYL

BK 316 FLARED EYELETS
thickness
4, 5, 6, 8, 10, 12, 14, 16, 18, 20



## KFT

BK 316 FLESH TUNNELS
thickness
4, 5, 6, 8, 10, 12, 14, 16, 18, 20



## KTUB

BK 316 DOUBLE FLARED EYELETS
thickness
4, 5, 6, 8, 10, 12, 14, 16, 18, 20



## SCT

CURVED TAPER
thickness
2.5, 3.2, 4, 5, 6



## SDYL

DOUBLE FLARED EYELETS
thickness
4, 6, 8, 10, 12, 14, 16, 22, 24



## SEC

ROUND EXPANDER
thickness
1.6, 2.5, 5.0



## SEYL

BK 316 FLARED EYELETS
thickness
3.2, 4, 5, 6, 8, 10, 12, 14, 16, 18, 20, 22



## SFT-CZ

STEEL CASTNG FLESH TUNNELS CZ
thickness
3.2, 4, 5, 6, 8, 10, 12, 16, 18, 20
stones: CR



WH



## STUB

EAR TUBES
thickness
4, 5, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24



## GDBHNR

GD 316 DOUBLE NIPPLE CLICKER RING	
thickness	diameter
1.6	12, 14, 16



## GDBHNRX

GD 316 DOUBLE HINGE NIPPLE CLICKER RING	
thickness	diameter
1.6	12, 14, 16



01

## GDJHNRSG

GD 316 JEWELLED DOUBLE NIPPLE CLICKER RING		
thickness	diameter	model
1.6	12, 14, 16	01, 02, 03
stones: WH		



WH



02



03



## GDJNROP

GD 316 JEWELLED NIPPLE CLICKER W/OPALS	
thickness	diameter
1.6	12, 14, 16
opal: BK, LGR, PI, RE, SA, WH	



BK LGR PI RE SA WH



01

## GDJNRZ

GD 316 JEWELLED NIPPLE CLICKER		
thickness	diameter	model
1.6	12, 14, 16	01, 11, 12, 13
16 mm available only for mod. 01, 11		
stones: WH		



WH



11



12



13



## GDJNRZA

GD 316 JEWELLED NIPPLE CLICKER	
thickness	diameter
1.6	12, 14, 16
stone: WH	



WH



## GDJNRZB

GD 316 JEWELLED NIPPLE CLICKER	
thickness	diameter
1.6	12, 14
stone: WH	



WH



## GDJNRZC

GD 316 JEWELLED NIPPLE CLICKER	
thickness	diameter
1.6	12, 14
stone: WH	



WH



## KJNRZ

BK 316 JEWELLED NIPPLE CLICKER		
thickness	diameter	model
1.6	12, 14, 16	01
stones: WH		



WH

# STEEL - NIPPLE



01

## RGJNRZ

RG 316 JEWELLED NIPPLE CLICKER		
thickness	diameter	model
1.6	12, 14, 16	01, 11, 12, 13
12 mm available only for mod. 01, 11		
stones: WH		



11

12

13



## RGJHNRSG

RG 316 JEWELLED DOUBLE NIPPLE CLICKER RING	
thickness	diameter
1.6	12, 14, 16
stones: WH	



## RGBHNR

RG 316 DOUBLE NIPPLE CLICKER RING	
thickness	diameter
1.6	12, 14, 16



## RGJNRZA

RG 316 JEWELLED NIPPLE CLICKER	
thickness	diameter
1.6	12, 14, 16
stone: WH	



**NEW**



## RGJNRZB

RG 316 JEWELLED NIPPLE CLICKER	
thickness	diameter
1.6	12, 14
stone: WH	



**NEW**



## RGJNRZC

RG 316 JEWELLED NIPPLE CLICKER	
thickness	diameter
1.6	12, 14
stone: WH	



**NEW**



## SBHNR

SS 316 DOUBLE NIPPLE CLICKER RING	
thickness	diameter
1.6	12, 14, 16



## SBHNRX

SS 316 DOUBLE HINGE NIPPLE CLICKER RING	
thickness	diameter
1.6	12, 14, 16



## SRO

SS 316 ROUNDER W/BALL	
thickness	diameter
1.6	10, 12, 14



01

**SJHNRSG**

SS 316 JEWELLED DOUBLE NIPPLE CLICKER RING		
thickness	diameter	model
1.6	12, 14, 16	01, 02, 03
stones: WH		



WH



02

03



**SJNRZA**

SS 316 JEWELLED NIPPLE CLICKER	
thickness	diameter
1.6	12, 14, 16
stone: WH	



WH



Mod. A

**SNCB**

SS 316 NIPPLE CHAIN BARBELL		
thickness	length	balls
1.6	14	5
model: A, B, C, D, E		



Mod. B

Mod. C

Mod. D

Mod. E



01

**SJNRZ**

SS 316 JEWELLED NIPPLE CLICKER		
thickness	diameter	model
1.6	12, 14, 16	01, 11, 12, 13
16 mm available only for mod. 01, 11		
stones: WH		



WH



11

12

13



**SJNRZB**

SS 316 JEWELLED NIPPLE CLICKER	
thickness	diameter
1.6	12, 14
stone: WH	



WH



**SSTB**

SS 316 STIRRUP W/BALL	
thickness	diameter
1.6	10, 12, 14



**SJNROP**

SS 316 JEWELLED NIPPLE CLICKER W/OPALS	
thickness	diameter
1.6	12, 14, 16
opal: BK, LGR, PI, RE, SA, WH	



BK LGR PI RE SA WH



**SJNRZC**

SS 316 JEWELLED NIPPLE CLICKER	
thickness	diameter
1.6	12, 14
stone: WH	



WH



**SROMS**

SS 316 ROUNDER W/MULTI ROUND SPIKE	
thickness	diameter
1.6	10, 12, 14



**SROML**

SS 316 ROUNDER W/MULTI LOZENGE	
thickness	diameter
1.6	10, 12, 14



## MBBL

MB 316 BARBELLS		
thickness	length	ball
1.2	6, 8, 10, 12	3
1.6	8, 10, 12	4
1.6	14, 16, 18, 20, 22	5
2.0	10, 12, 14, 16	5
2.4	12, 14, 16	5
3.2	12, 14, 16	5
4	12, 14, 16	5



## MCBB

MB 316 CIRCULAR BARBELLS	
thickness	diameter
1.2	8, 10
1.6	8, 10, 12
2.0	10, 12, 14
2.4	12, 14
3.2	12, 14
4	12, 14



## MBCR

MB 316 BALL CLOSURE RING	
thickness	diameter
1.2	7, 9, 11
1.6	8, 10, 12, 14, 16
2.0	10, 12, 14, 16
2.4	10, 12, 14, 16
3.2	12, 14, 16, 18
4	12, 14, 16



## MDYL

MB 316 DOUBLE FLARED EYELETS	
thickness	
2.4, 3.2, 4, 5, 6, 8, 10, 12, 14, 16, 18, 20	



## MFT

MB 316 FLESH TUNNELS	
thickness	
2.4, 3.2, 4, 5, 6, 8, 10, 12, 14, 16, 18, 20	



## MEYL

MB 316 FLARED EYELETS	
thickness	
2.4, 3.2, 4, 5, 6, 8, 10, 12, 14, 16, 18, 20	



## MTUB

MB 316 EAR TUBES	
thickness	
2.4, 3.2, 4, 5, 6, 8, 10, 12, 14, 16, 18, 20	



## ADYL

SUPER GAUGE DOUBLE FLARED EYELETS	
thickness	colors
34, 38, 42, 46, 50	BK, CL



## ACPL



RE/WH

CHEQUERED FIMO PLUGS	
diameter	colors
6, 8, 10, 12	BK/WH, BL/WH, GR/WH, RE/BK, RE/WH



BK/WH GR/WH BL/WH RE/BK



BK

WH

## ACFPG

UV CARBON FIBER BLACK PLUGS	
diameter	colors
6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28	BK, WH



BK WH



BHZ

## APP

TAPERED PICTURE PLUG	
thickness	model
6, 8, 10, 12, 14	BHZ, CHE, CRO, SKB, SR



SR


CRO

CHE

SKB

## ATP

SUPER GAUGE TAPERED PLUG	
thickness	colors
34, 38, 42, 46, 50	BK, CL



BK

CL



BK CL

## ASBE



UV SCREW-ON BALLS	
thickness	ball
1.2	2.0, 2.5, 3, 4
1.6	4, 5, 6, 8

colors: BK, CL, WH, BL, GR, OR, PI, PU, RE



## ACNE



UV CONES	
thickness	diameter
1.2	3
1.6	5, 9

colors: BK, BL, CL, GR, OR, PI, PU, RE, WH



## ASDO



BK/PI

UV SCREW-ON BALLS DOT	
thickness	diameter
1.6	5, 6

colors: BK/PI, BK/WH, BL/WH, RE/WH, WH/BK, WH/BL, WH/RE



## ASCA



CLUBS

UV SCREW-ON BALLS	
thickness	diameter
1.6	5, 6



## ASFL



RE

UV SCREW-ON FLAME BALLS	
thickness	diameter
1.6	5, 6

colors: RE, BL




## ASFI




Mod.01

UV SCREW-ON FIMO BALLS	
diameter	
6	

model: 01, 02, 03, 04, 05, 06, 07, 09, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20



## ASCW



BK/RE

UV SCREW-ON BALLS	
thickness	diameter
1.2	3
1.6	5, 6

colors: BK/RE, BL/GR, GR/BL, OR/PU, PI/GR, PU/PI



## ASFO



GR

UV SCREW-ON BALLS	
thickness	diameter
1.6	5

colors: BK, BL, GR, OR, FU, RE





**ASMA**

UV SCREW-ON MARBLE BALLS	
thickness	diameter
1.6	5, 6
colors: BK, BL, CL, GR, OR, PU, RE	



**ASSO**

UV SCREW-ON BALLS SOCCER	
thickness	diameter
1.6	6



**ASST**

UV SCREW-ON BALLS STARS	
thickness	diameter
1.6	5, 6
colors: BK/PI, BK/WH, BL/WH, RE/WH, WH/BK, WH/BL	



**ASWA**

UV SCREW-ON WAVE BALLS	
thickness	diameter
1.2	3
1.6	5, 6
colors: GR/BL, GR/PI, PU/GR, PU/OR, RE/BL, YL/BL	



**ASWM**

UV SCREW-ON BALLS MW	
thickness	diameter
1.2	3
1.6	5, 6
colors: BK, BL, CL, GR, LB, OR, PI, PU, RE	



**ASYY**

UV SCREW-ON BALLS	
thickness	diameter
1.2	3
1.6	4, 5
colors: BK/PI, BK/WH, BK/YE, BL/WH, GR/WH, RE/WH	



**ASZB**

UV SCREW-ON ZIRCON BALLS	
thickness	diameter
1.6	4, 5, 6
colors: BL, CL, GR, OR, PI, PU, RE	



**ASZM**

UV SCREW-ON ZIRCON MURANO BALLS	
thickness	diameter
1.6	5, 6
colors: BK, BL, CL, GR, LB, OR, PI, PU, RE	





## BDA

BIOFLEX int 1,6mm DERMAL ANCHOR CLEAR	
thickness	height
1.6	1.5, 2.0, 2.5



## BDI

BIOFLEX int PUSH FIT DISC	
thickness	disc
1.2	2.5, 3.0, 4.0, 5.5
colors: BK, CL, FL	



## BPBAN

BIOPLAST BANANA	
thickness	length
1.2	30
1.6	30
colors: BK, CL	



## BPHEAD

BIOPLAST int. HEAD	
thickness	disc
for 1.2/1.6	2.5
colors: BK, CL	



## BPJHEAD

BIOPLAST int. JEWEL HEAD	
thickness	head
for 1.2/1.6	2.2
colors: BK, CL	
stones: AB, AQ	



## BPJNS

BIOPLAST JEWEL NOSE STUD	
thickness	
1.2	
colors: BK, CL	
stones: AB, AQ	



## BPLAB

BIOPLAST LABRET	
thickness	length
1.2	45
1.6	45
colors: BK, CL	



## BPLABi

BIOPLAST int. LABRET		
thickness	length	base
1.2	6, 8, 10	4
1.6	6, 8, 10	4, 5
colors: BK, CL		



## BPLABR

BIOPLAST int. CLEAR LABRET RETAINER		
thickness	length	head
1.2	6, 8, 10	2.5
1.6	6, 8, 10	2.5



**BPNSR**

BIOPLAST CLEAR NOSE STUD RETAINER	
thickness	
0.8	



**BPSER**

BIOPLAST CLEAR SEPTUM RETAINER	
thickness	length
1.2	7
1.6	7



**BPBBL**

BIOPLAST BARBELL	
thickness	length
1.2	90
1.6	90
colors: BK, CL	





## SWFT

SILICONE TUNNELS
thickness
4, 6, 8, 10, 12, 14, 16
colors: BK, RE, WH



BK RE WH



BK

## SWPG

SILICONE PLUGS
thickness
4, 6, 8, 10, 12, 14, 16, 18, 20
colors: BK, FL, WH



FL

WH



## SWSS

SPIKEY SPHERE RED
colors
RE



RE



## SWTA

TONGUE ATOM
colors
BK, RE



BK RE



## SWOV

OVAL SILICONE FLESH TUNNELS
thickness
4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26
colors: BK, PI, WH



BK PI WH

## Synthetic



WH

### ESBE

SYNTHETIC PEARLS	
thickness	ball
1.2	3, 4
colors: WH	



BL

### ESBE

SYNTHETIC PEARLS	
thickness	ball
1.6	6, 8
colors: BL, GR, OR, PI, PU	



GR OR PI PU

## Freshwater



### PESBE

FRESHWATER PEARL	
thickness	ball
1.2	3, 4
1.6	4, 5, 6, 8

## WHITE ANATOMIC DISPLAY EYEBROW

WBIT-EY



## WHITE ANATOMIC DISPLAY GENITAL FEM

WBIT-GF



## WHITE ANATOMIC DISPLAY GENITAL MAN

WBIT-GM



## WHITE ANATOMIC DISPLAY LIPS

WBIT-LI



## WHITE ANATOMIC DISPLAY NIPPLE FEM

WBIT-NF



## WHITE ANATOMIC DISPLAY NIPPLE MAN

WBIT-NM



## WHITE ANATOMIC DISPLAY NOSE

WBIT-NO



## WHITE ANATOMIC DISPLAY TONGUE

WBIT-TO



## WHITE ANATOMIC DISPLAY BELLY

WBIT-BE



## WHITE ANATOMIC DISPLAY EAR-L

WBIT-EL



## WHITE ANATOMIC DISPLAY EAR-R

WBIT-ER



**EMPTY DISPLAY FOR 24  
PAIRS EAR STUDS**

DIS-130 | for 24 pairs



**DISPLAY FOR NOSE  
STUD**

DIS-30A | For 70pcs



**DISPLAY FOR NOSE  
STUD**

DIS-30B | For 60pcs



**BANANAS DISPLAY  
FOR 25pcs**

DIS-45 | for 25pcs | 12x13 cm



**DISPLAY TRAY FOR  
SPARE PARTS**

DIS-64B | with 35 boxes




**EMPTY CLEAR  
PLASTIC JARS**

DIS-65A | 40x25 cm



**SMALL DISPLAY TRAY  
FOR PLUGS**

DIS-7 | for 100 plugs | 6-24 mm  
DIS-8 | for 154 plugs | 4-28 mm



**ACRYLIC STAND FOR EAR  
STUDS**

DIS-71 | for 36 pairs - 10x18 cm



## SPARE PARTS DISPLAYS

DISPA | sold empty



## ACRYLIC SKULL STAND FOR SEPTUM

DIS-88 | For 12pcs



## ACRYLIC SEPTUM CLICKERS STAND

DIS-89 | For 20pcs



## ACRYLIC DERMAL ATTACHMENTS STAND

DIS-95 | For 20pcs



## ACRYLIC STAND FLESH TUNNELS

DIS-115 | for 24pcs



## PICTURE FRAME DISPLAY WITH CLIPS

**NEW**

DIS-163MC | 24.5 x 33.5 cm | for 80pcs | Mod. A  
24.5 x 33.5 cm | for 80pcs | Mod. B



## Disposable

### PINZA MONOUSO TRIANGOLARE

IDPF | 50pcs | STERILE



### PINZA MONOUSO TRIANGOLARE APERTA

IDPFS | 50pcs | STERILE



### PINZA MONOUSO OVALE

IDSF | 50pcs | STERILE



### PINZA MONOUSO OVALE APERTA

IDSFS | 50pcs | STERILE



### QUICKLY DISPOSABLE SEPTUM FORCEPS

QCYSF | STERILE



### QUICKLY DISPOSABLE UNIVERSAL CLAMPS

QCYUC | STERILE



### SNAPTILE OVAL BLACK

SNAO-BK | 100pcs | STERILE



### SNAPTILE TRIANGULAR BLACK

SNAT-BK | 100pcs | STERILE



## Gold Tools

### GOLD TOOLS MOSQUITO

GNGMOS | 11,5cm



### GOLD TOOLS MOSQUITO

GNGMOXS | 10cm



### GOLD TOOLS - PINZA OVALE APERTA

GNGOVA



### GOLD TOOLS - SEPTUM FORCEPS

GNGSE



### GOLD TOOLS - PINZA TRIANGOLARE

GNGTR



### GOLD TOOLS - PINZA TRIANGOLARE APERTA

GNGTRA



### GOLD TOOLS TWEezer

GNGTWE





### AGO CANNULA 50pcs - STERILE

PDM

External diameter	Color	Gauge
1.0mm	pink	20Ga
1.3mm	green	18Ga
1.5mm	white	17Ga
1.75mm	gray	16Ga
2.0mm	orange	14Ga

**NEW**

### BODYSUPPLY COATED STERILE CURVED PIERCING NEEDLES - 50pcs

PBSCP-C	14GA (1.6mm outside) 16GA (1.2mm outside) 18GA (1.0mm outside)
---------	--



**NEW**

### BODYSUPPLY COATED STERILE STRAIGHT PIERCING NEEDLES - 100pcs

PBSCP-S	10GA (2.5mm outside) 12GA (2.0mm outside) 13GA (1.8mm outside) 14GA (1.6mm outside) 15GA (1.4mm outside) 16GA (1.2mm outside) 18GA (1.0mm outside) 20GA (0.8mm outside)
---------	--




### AGO PER PIERCING FILETTATO - 100pcs

JXFT	1,2 mm 1,6 mm	NON STERILE
------	------------------	-------------



### BISTURI MONOUSO - STERILE

PB10 PB11	Blade 10 Blade 11	STERILE
--------------	----------------------	---------




### GIMA DERMAL PUNCH - 10 pcs

PDG15	1,5 mm	STERILE
-------	--------	---------



### LAMA PER BISTURI STERILE MONOUSO

PLB10 PLB11	Blade 10 Blade 11	STERILE
----------------	----------------------	---------



### DERMAL PUNCH

PDP	1,0 mm 1,5 mm 2,0 mm 2,5 mm 3,0 mm 3,5 mm 4,0 mm 5,0 mm 6,0 mm	STERILE
-----	--	---------



### PORTALAME IN ACCIAIO

PMB	For blade 10 and 11
-----	---------------------



## Tools

**MOSQUITO CURVO**

NGMOC



**MOSQUITO**

NGMOS

14cm



**PINZA MINI TRIANGOLARE**

NGMTR



**PINZA MINI TRIANGOLARE APERTA**

NGMTRA



**PINZA OVALE**

NGOV



**PINZA OVALE APERTA**

NGOVA



**PINZA OVALE PICCOLA PICCOLA**

NGOVV



**PINZA OVALE PICCOLA APERTA**

NGOVPA



**SEPTUM FORCEPS**

NGSE



**PINZA TRIANGOLARE**

NGTR



**PINZA TRIANGOLARE APERTA**

NGTRA



**TRAGUS FORCEPS**

TRTF



**Dermal**

**PINZA PER DERMAL ANCHOR**

DADA



**DERMAL ANCHOR FORCEPS**

DAF

3mm



**DERMAL INSERTION TOOL**

DAIT

1,6mm THREAD



**DERMAL ANCHOR TOOL KIT**

DAK



**DERMAL ANCHOR MOSQUITO**

DAM



**PINZA PER DERMAL ANCHOR**

PT-34

for 3-4 mm



**DERMAL HOLDING TOOL**

PT45-03  
PT45-04  
PT45-05

3 mm - ROUND  
4 mm - ROUND  
5 mm - ROUND



## Various

### PINZETTA TAGLIARE PTFE

CUT



### KIT INSERITORI SMALL

IIPKS



### SQUIDSTER 100PZ

SQD-BK  
SQD-VI

Black  
Violet



Black

Violet

### PROTON PIERCING POINT - GENTIAN VIOLET

PROXPP30

30ml



### INSERITORE FILETTATO EXTERNAL

IIPTE

1,2 mm  
1,6 mm



### INSERITORE FILETTATO INTERNAL

IIPTI

1,2 mm  
1,6 mm



### INSERITORE

IIP

1,0 mm  
1,2 mm  
1,6 mm  
2,0 mm  
2,4 mm  
3,2 mm  
4,0 mm  
5,0 mm  
6,0 mm  
8,0 mm  
9,0 mm  
10 mm




### int TITANIUM INSERTION PIN

IIPTI-S-12  
IIPTI-S-16  
IIPTI-M-12  
IIPTI-M-16

1,2 mm  
1,6 mm  
1,2 mm  
1,6 mm

length 20mm  
length 20mm  
length 35mm  
length 35mm



**ACCHIAPPAPALLINE  
RAGNO**

TRAR



**SCISSORS**

NGSC



**TUBO RICEVENTE  
ACCIAIO**

ITRS

5 mm  
6 mm  
9 mm



**CALIBRO DIGITALE**

IVSD



**MEDICAL SILICONE  
PIERCING DISC**

MDISC-M  
MDISC-L

size M (5 mm)  
size L (7 mm)



**KLY GEL  
LUBRIFICANTE**

PHR

82 gr



**SURGICAL PEN  
TORCH**

ITO



## ESPECIAL ZONES

NGESZ



## APRIANELLI GRANDE

ROL



## PINZA MINI APRIANELLI

MROS



## LARGE GAUGE RING OPENERS

IPTXLR01



## ACCHIAPPAPALLINE TWEEZER

TRAT



## PTFE THREADER FEMALE

TRPTF

1.2 & 1.6 mm



## BENDING TOOL

TRBT



## CHIUDIANELLI PICCOLA

NGRCS



## ENBIO S - AUTOCLAVE RAPIDA CLASSE B

ENBIO-S



### BUSTE PER STERILIZZAZIONE 200pcs

BST60	60x100mm
BTS90165	90x165mm
BTS57	60x200mm
BTS140	140x250mm



### ROTOLI PER STERILIZZAZIONE 200mt

RST50	50mm
RST75	75mm
RST100	100mm
RST150	150mm



### BUSTE PER STERILIZZAZIONE - 200pcs

XA-370.076	135x260mm
------------	-----------



### BUSTE PER STERILIZZAZIONE - 200pcs

XA-370.065	90x260mm
------------	----------

# AFTERCARE

## BODYSUPPLY CLEANSING SOLUTION

ARE50

50ml



## BODYSUPPLY SALINE SOLUTION

ARS50

50ml



## BALM PIERCING - AGUA DE MAR

BAP-ADM50

50ml



## EASYPIERCING MOUTHWASH

ETPC0125

125ml



## EASYPIERCING CLEANSING GEL

ETPDE50

50ml



## EASYPIERCING ANTIBACTERIAL SOLUTION

ETPSA50

50ml



## EASYPIERCING SALINE SOLUTION

ETPSS50

50ml



## EASYPIERCING CARE KIT

ETPKC

3x50ml + sterile swabs



## EASY TATTOO SOAP

ETS0150

125ml



## PROTON MOUTH PIERCING CARE

PROXCC500

(0,12%) 500ml







Professional Body Supply SRL  
[www.bodysupply.com](http://www.bodysupply.com)